

LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN HELMINTHOMORPHA POCOCK, 1887

M. COOPER

City of Johannesburg.

Abstract- Longitudinal species richness was calculated in southern African Helminthomorpha. This was illustrated with a histogram.

Keywords: Helminthomorpha, longitude, species, richness.

I. INTRODUCTION

The Helminthomorpha is a clade of millipedes ancestrally characterised by the presence of more than 21 trunk segments in adults, although reduced in some subclades. Crown-group helminthomorphs are also distinguished by the modification in males of at least one pair of legs on the seventh diplosegment into intromittent gonopods [879].

Here, longitudinal species richness was calculated in southern African Helminthomorpha.

II. MATERIALS AND METHODS

Longitude coordinates were calculated for southern African Helminthomorpha from localities provided in a Checklist of Southern African millipedes. These were plotted using a Histogram Maker.

III. RESULTS

Longitudinal species richness was calculated in southern African Helminthomorpha (Figure 1).




Figure 1. Longitudinal species richness in southern African Helminthomorpha Pockock, 1887.

IV. DISCUSSION

Longitudinal species richness in southern African Helminthomorpha shows a positive relationship.

REFERENCES

1. Polydesmida Leach, 1815 | COL". www.catalogueoflife.org. Retrieved 2024-07-05.

2. Shear, William A.; Ferreira, Rodrigo Lopes; Iniesta, Luiz Felipe Moretti; Marek, Paul (2016-10-25). "A millipede missing link: Dobrodesmidae, a remarkable new polydesmidan millipede family from Brazil with supernumerary rings (Diplopoda, Polydesmida), and the establishment of a new suborder Dobrodesmidea". *Zootaxa*. 4178 (3): 371–390. doi:10.11646/zootaxa.4178.3.4. ISSN 1175-5334. PMID 27811714 – via ResearchGate.

3. O. F. Cook, "New relatives of *Spirobolus giganteus*," *Brandtia* (A series of occasional papers on Diplopoda and other Arthropoda), vol. 18, pp. 73-75, 1897.
4. M. COOPER, "Sperm competition in the millipede *Chersastus ruber* (Diplopoda: Pachybolidae)," The University of Cape Town, pp. 1-29, 1995.
5. M. I. Cooper, S. R. Telford, "Sperm competition in three *Chersastus* millipedes (Diplopoda, Trigoniulidae)," 26th Symposium of the Zoological Society of Southern Africa (Integrating Zoology: Subdisciplines and the Subcontinent), University of Pretoria, Pretoria, 8-12 July, p. 13, 1996. ISBN: 1-86854-059-6..
6. M. I. Cooper, "Ectoparasite-mediated sexual selection in spirobolid millipedes," In: Robertson, Hamish (ed.) Proceedings of the joint congress of the Entomological Society of Southern Africa (11th congress) and the African Association of Insect Scientists (12th congress), Stellenbosch, 30 June-4 July, pp. 223-224, 1997. ISBN : WISC:89058769605.
7. Cooper, Mark I. 1997. Ectoparasite-mediated sexual selection in spirobolid millipedes. In: Robertson, Hamish (ed.) Proceedings of the joint congress of the Entomological Society of Southern Africa (11th congress) and the African Association of Insect Scientists (12th congress), Stellenbosch, 30 June-4 July, 223-224. ISBN : WISC:89058769605.
<https://www.researchgate.net/publication/358034906>.
8. M. I. Cooper, "Indiscriminate male mating behaviour in spirobolid millipedes," 27th Symposium of the Zoological Society of Southern Africa, University of Cape Town, Cape Town, 7-11 July, p. 105, 1997.
9. M. Cooper, "MILLIPEDES AND THE "MINIATURE FIVE MILLION"," *African Wildlife*, vol. 52, no. 5, pp. 30-31, 1998..
10. M. I. COOPER, "MATING DYNAMICS OF SOUTH AFRICAN FOREST MILLIPEDES *CENTROBOLUS* (DIPLOPODA: PACHYBOLIDAE)," THE UNIVERSITY OF CAPE TOWN, pp. 1-141, 1998.
<https://hdl.handle.net/11427/17555>.
11. M. Cooper, "Sexual selection in sympatric spirobolid millipedes," 28th Symposium of the Zoological Society of Southern Africa, University of Cape Town, 1998. (poster).
12. M. I. Cooper, M. A. du Plessis, "Biodiversity hotspots in the developing world," *Trends in Ecology & Evolution*, vol. 13, no. 10, pp. 409, 1998. ISSN 0169-5347,
[https://doi.org/10.1016/S0169-5347\(98\)01469-4](https://doi.org/10.1016/S0169-5347(98)01469-4).
13. M. Cooper, "P2 or not P2?" 29th Symposium of the Zoological Society of Southern Africa, University of the North, Limpopo Province, July, 1999. (poster).
14. M. I. Cooper, S. R. Telford, "Copulatory Sequences and Sexual Struggles in Millipedes," *Journal of Insect Behavior* vol. 13, pp. 217-230, 2000.
<https://doi.org/10.1023/A:1007736214299>.
15. COOPER, MARK I. PILL
MILLIPEDES. *Afr. Wildl.* 2004, 58(2): 44.
<https://www.researchgate.net/publication/326344697>.
16. M. I. Cooper, "Sex ratios, mating frequencies and relative abundance of sympatric millipedes in the genus *Chersastus* (Diplopoda: Pachybolidae)," *Arthropods*, vol. 3, no. 4, pp. 174-176, 2014.
17. M. I. Cooper, "Sexual size dimorphism and corroboration of Rensch's rule in *Chersastus* millipedes (Diplopoda: Pachybolidae)," *J. Entomol. Zool. Stud.* vol. 2, no. 6, pp. 264-266, 2014. DOI: 10.22271/j.ento.2014.v2.i6e.452
<http://www.entomoljournal.com/archives/2014/vol2issue6/PartE/47.pdf>.
18. M. I. Cooper, "Competition affected by re-mating interval in a myriapod," *J. Entomol. Zool. Stud.* vol. 3, no. 4, pp. 77-78, 2015. DOI: 10.22271/j.ento.2015.v3.i4b.550
<http://www.entomoljournal.com/archives/2015/vol3issue4/PartB/3-4-3.pdf>.
19. M. I. Cooper, "Elaborate gonopods in the myriapod genus *Chersastus* (Diplopoda: Trigoniulidae)," *J. Entomol. Zool. Stud.* vol. 3, no. 4, pp. 235-238, 2015. DOI: 10.22271/j.ento.2015.v3.i4d.573
<http://www.entomoljournal.com/archives/2015/vol3issue4/PartD/3-3-110.pdf>.
20. M. I. Cooper, "Sperm storage in *Centrobolus* spp. and observational evidence for egg simulation," *J. Entomol. Zool. Stud.* vol. 4, no. 1, pp. 127-129, 2016. DOI: 10.22271/j.ento.2016.v4.i1b.797
<https://www.entomoljournal.com/archives/2016/vol4issue1/PartB/3-6-81.pdf>.
21. M. I. Cooper, "Symmetry in ejaculate volumes of *Centrobolus inscriptus* Attems (Spiroboidea: Trigoniulidae)," *International Journal of Entomological Research*, vol. 1, no. 2, pp. 14-15, 2016.
<http://www.entomologyjournals.com/archives/2016/vol1/i ssue2>.
22. M. I. Cooper, "Confirmation of four species of *Centrobolus* Cook (Spirobolida: Trigoniulidae) based on gonopod ultrastructure," *Int. J. Entomol. Res.* vol. 1, no. 3, pp. 07-09, 2016.
<http://www.entomologyjournals.com/archives/2016/vol1/i ssue3>.
23. M. I. Cooper, "Fire millipedes obey the female sooner norm in cross mating *Centrobolus* (Myriapoda)," *J. Entomol. Zool. Stud.* vol. 4, no. 1, pp. 173-174, 2016. DOI: 10.22271/j.ento.2016.v4.i1c.802
<http://www.entomoljournal.com/archives/2016/vol4issue1/PartC/3-5-82.pdf>.
24. M. I. Cooper, "Symmetry in ejaculate volumes of *Centrobolus inscriptus* Attems (Spiroboidea: Trigoniulidae)," *J. Entomol. Zool. Stud.* vol. 4, no. 1, pp. 386-387, 2016. DOI: 10.22271/j.ento.2016.v4.i1f.833
<http://www.entomoljournal.com/archives/2016/vol4issue1/PartF/4-1-21.pdf>.
25. M. I. Cooper, "Instantaneous insemination in the millipede *Centrobolus inscriptus* (Spirobolida: Trigoniulidae) determined by artificially-terminated mating," *J. Entomol.*

- Zool. Stud. vol. 4, no. 1, pp. 487-490, 2016. DOI: 10.22271/j.ento.2016.v4.i1g.847
<http://www.entomoljournal.com/archives/2016/vol4issue1/PartG/4-1-50-695.pdf>.
26. M. I. Cooper, "Gonopod mechanics in *Centrobolus* Cook (Spirobolida: Trigoniulidae) II. Images," J. Entomol. Zool. Stud. vol. 4, no. 2, pp. 152-154, 2016. DOI: 10.22271/j.ento.2016.v4.i2c.890
<http://www.entomoljournal.com/archives/2016/vol4issue2/PartC/4-2-55.pdf>.
27. M. Cooper, "Post-insemination associations between males and females in Diplopoda," J. Entomol. Zool. Stud. vol. 4, no. 2, pp. 283-285, 2016. DOI: 10.22271/j.ento.2016.v4.i2d.908
<http://www.entomoljournal.com/archives/2016/vol4issue2/PartD/4-2-63.pdf>.
28. M. I. Cooper, "Heavier-shorter-wider females in the millipede *Centrobolus inscriptus* Attems (Spirobolida: Trigoniulidae)," J. Entomol. Zool. Stud. vol. 4, no. 2, pp. 509-510, 2016. DOI: 10.22271/j.ento.2016.v4.i2g.937
<http://www.entomoljournal.com/archives/2016/vol4issue2/PartG/4-3-60.pdf>.
29. M. I. Cooper, "Sexual bimaturism in the millipede *Centrobolus inscriptus* Attems (Spirobolida: Trigoniulidae)," J. Entomol. Zool. Stud. vol. 4, no. 3, pp. 86-87, 2016. DOI: 10.22271/j.ento.2016.v4.i3b.961
<http://www.entomoljournal.com/archives/2016/vol4issue3/PartB/4-3-44.pdf>.
30. M. I. Cooper, "Tarsal pads of *Centrobolus* Cook (Spirobolida: Trigoniulidae)," J. Entomol. Zool. Stud. vol. 4, no. 3, pp. 385-386, 2016. DOI: 10.22271/j.ento.2016.v4.i3f.1008
<http://www.entomoljournal.com/archives/2016/vol4issue3/PartF/4-3-40-751.pdf>.
31. M. I. Cooper, "Confirmation of four species of *Centrobolus* Cook (Spirobolida: Trigoniulidae) based on gonopod ultrastructure," J. Entomol. Zool. Stud. vol. 4, no. 4, pp. 389-391, 2016. DOI: 10.22271/j.ento.2016.v4.i4f.1065
<http://www.entomoljournal.com/archives/2016/vol4issue4/PartF/4-3-118-307.pdf>.
32. M. I. Cooper, "Sperm storage in *Centrobolus inscriptus* Attems (Spirobolida: Trigoniulidae)," J. Entomol. Zool. Stud. vol. 4, no. 4, pp. 392-393, 2016. DOI: 10.22271/j.ento.2016.v4.i4f.1066
<http://www.entomoljournal.com/archives/2016/vol4issue4/PartF/4-4-16-207.pdf>.
33. M. I. Cooper, "Sperm dumping in *Centrobolus inscriptus* Attems (Spirobolida: Trigoniulidae)," J. Entomol. Zool. Stud. vol. 4, no. 4, pp. 394-395, 2016. DOI: 10.22271/j.ento.2016.v4.i4f.1067
<http://www.entomoljournal.com/archives/2016/vol4issue4/PartF/4-4-17-663.pdf>.
34. M. I. Cooper, "Syncopulatory mate-guarding affected by predation in the aposematic millipede *Centrobolus inscriptus* in a swamp forest," J. Entomol. Zool. Stud. vol. 4, no. 6, pp. 483-484, 2016. DOI: 10.22271/j.ento.2016.v4.i6g.1376
<http://www.entomoljournal.com/archives/2016/vol4issue6/PartG/4-6-114-767.pdf>.
35. M. I. Cooper, "The relative sexual size dimorphism of *Centrobolus inscriptus* compared to 18 congeners," J. Entomol. Zool. Stud. vol. 4, no. 6, pp. 504-505, 2016. DOI: 10.22271/j.ento.2016.v4.i6g.1381
<http://www.entomoljournal.com/archives/2016/vol4issue6/PartG/4-6-123-254.pdf>.
36. M. I. Cooper, "Do females control the duration of copulation in the aposematic millipede *Centrobolus inscriptus*?" J. Entomol. Zool. Stud. vol. 4, no. 6, pp. 623-625, 2016. DOI: 10.22271/j.ento.2016.v4.i6i.1396
<http://www.entomoljournal.com/archives/2016/vol4issue6/PartI/4-6-133-214.pdf>.
37. M. I. Cooper, "The influence of male body mass on copulation duration in *Centrobolus inscriptus* (Attems)," J. Entomol. Zool. Stud. vol. 4, no. 6, pp. 804-805, 2016. DOI: 10.22271/j.ento.2016.v4.i6k.08
<http://www.entomoljournal.com/archives/2016/vol4issue6/PartK/4-6-166-899.pdf>.
38. M. I. Cooper, "Sexual conflict over the duration of copulation in *Centrobolus inscriptus* (Attems)," J. Entomol. Zool. Stud. vol. 4, no. 6, pp. 852-854, 2016. DOI: 10.22271/j.ento.2016.v4.i6l.04
<http://www.entomoljournal.com/archives/2016/vol4issue6/PartL/4-6-155-599.pdf>.
39. M. I. Cooper, "The affect of female body width on copulation duration in *Centrobolus inscriptus* (Attems)," J. Entomol. Zool. Stud. vol. 5, no. 1, pp. 732-733, 2017. DOI: 10.22271/j.ento.2017.v5.i1j.10
<http://www.entomoljournal.com/archives/2017/vol5issue1/PartJ/5-1-92-221.pdf>.
40. M. I. Cooper, "Size matters in myriapod copulation," J. Entomol. Zool. Stud. vol. 5, no. 2, pp. 207-208, 2017. DOI: 10.22271/j.ento.2017.v5.i2c.10
<http://www.entomoljournal.com/archives/2017/vol5issue2/PartC/4-6-108-171.pdf>.
41. M. I. Cooper, "Relative sexual size dimorphism in *Centrobolus digrammus* (Pocock) compared to 18 congeners," J. Entomol. Zool. Stud. vol. 5, no. 2, pp. 1558-1560, 2017. DOI: 10.22271/j.ento.2017.v5.i2u.04
<http://www.entomoljournal.com/archives/2017/vol5issue2/PartU/5-2-199-639.pdf>.
42. M. I. Cooper, "Relative sexual size dimorphism in *Centrobolus fulgidus* (Lawrence) compared to 18 congeners," J. Entomol. Zool. Stud. vol. 5, no. 3, pp. 77-79, 2017. DOI: 10.22271/j.ento.2017.v5.i3b.01
<http://www.entomoljournal.com/archives/2017/vol5issue3/PartB/5-2-198-656.pdf>.
43. Cooper, "Relative sexual size dimorphism *Centrobolus ruber* (Attems) compared to 18 congeners," J. Entomol. Zool. Stud. vol. 5, no. 3, pp. 180-182, 2017. DOI: 10.22271/j.ento.2017.v5.i3c.07

- <http://www.entomoljournal.com/archives/2017/vol5issue3/PartC/5-2-187-598.pdf>.
44. M. I. Cooper, "Copulation and sexual size dimorphism in worm-like millipedes," J. Entomol. Zool. Stud. vol. 5, no. 3, pp. 1264-1266, 2017. DOI: 10.22271/j.ento.2017.v5.i3r.03 available at <https://www.coursehero.com/file/56889696>.
45. M. I. Cooper, "Allometry of copulation in worm-like millipedes," J. Entomol. Zool. Stud. vol. 5, no. 3, pp. 1720-1722, 2017. DOI: 10.22271/j.ento.2017.v5.i3x.03 <http://www.entomoljournal.com/archives/2017/vol5issue3/PartX/5-3-233-698.pdf>.
46. M. Cooper, "Re-assessment of rensch's rule in Centrobolus," J. Entomol. Zool. Stud. vol. 5, no. 6, pp. 2408-2410, 2017. DOI: 10.22271/j.ento.2017.v5.i6ag.04 <http://www.entomoljournal.com/archives/2017/vol5issue6/PartAG/5-6-355-856.pdf>.
47. M. I. Cooper, "Allometry for sexual dimorphism in millipedes (Diplopoda)," J. Entomol. Zool. Stud. vol. 6, no. 1, pp. 91-96, 2018. DOI: 10.22271/j.ento.2018.v6.i1b.03 <http://www.entomoljournal.com/archives/2018/vol6issue1/PartB/5-6-327-547.pdf>.
48. M. I. Cooper, "Sexual dimorphism in pill millipedes (Diplopoda)," J. Entomol. Zool. Stud. vol. 6, no. 1, pp. 613-616, 2018. DOI: 10.22271/j.ento.2018.v6.i1i.03 <http://www.entomoljournal.com/archives/2018/vol6issue1/PartI/5-6-352-508.pdf>.
49. M. I. Cooper, "Sexual size dimorphism and the rejection of Rensch's rule in Diplopoda (Arthropoda)," J. Entomol. Zool. Stud. vol. 6, no. 1, pp. 1582-1587, 2018. DOI: 10.22271/j.ento.2018.v6.i1v.07 <http://www.entomoljournal.com/archives/2018/vol6issue1/PartV/5-6-290-837.pdf>.
50. M. I. Cooper, "Trigoniulid size dimorphism breaks Rensch," J. Entomol. Zool. Stud. vol. 6, no. 3, pp. 1232-1234, 2018. DOI: 10.22271/j.ento.2018.v6.i3.9.09 <http://www.entomoljournal.com/archives/2018/vol6issue3/PartQ/6-3-170-722.pdf>.
51. M. I. Cooper, "Volumes of Centrobolus albitarsus (Lawrence, 1967)," Int. J. Entomol. Res. vol. 3, no. 4, pp. 20-21, 2018. <http://www.entomologyjournals.com/archives/2018/vol3/issue4>.
52. M. Cooper, "A review of studies on the fire millipede genus centrobolus (diplopoda: trigoniulidae)," J. Entomol. Zool. Stud. vol. 6, no. 4, pp. 126-129, 2018. DOI: 10.22271/j.ento.2018.v6.i4.2.06 <http://www.entomoljournal.com/archives/2018/vol6issue4/PartC/6-3-87-275.pdf>.
53. M. Cooper, "Centrobolus anulatus (Attems, 1934) reversed sexual size dimorphism," J. Entomol. Zool. Stud. vol. 6, no. 4, pp. 1569-1572, 2018. DOI: 10.22271/j.ento.2018.v6.i4.13.16 <http://www.entomoljournal.com/archives/2018/vol6issue4/PartZ/6-4-277-483.pdf>.
54. M. Cooper, "Allometry in Centrobolus," J. Entomol. Zool. Stud. vol. 6, no. 6, pp. 284-286, 2018. DOI: 10.22271/j.ento.2018.v6.i6.3.07 <http://www.entomoljournal.com/archives/2018/vol6issue6/PartE/6-5-322-417.pdf>.
55. M. Cooper, "Centrobolus size dimorphism breaks Rensch's rule," Scholars' Press, Mauritius. pp. 1-48, 2018. ISBN: 978-3-659-83990-0. <https://www.academia.edu/77887053>.
56. M. Cooper, "Centrobolus size dimorphism breaks Rensch's rule," Arthropod., vol. 7, no. 3, pp. 48-52, 2018.
57. M. Cooper, "Centrobolus dubius (Schubart, 1966) Monomorphism," International Journal of Research Studies in Zoology, vol 4, no. 3, pp. 17-21, 2018. <http://arcjournals.org/pdfs/ijrsz/v4-i3/3.pdf>.
58. M. Cooper, "Centrobolus lawrencei (Schubart, 1966) monomorphism," Arthropod., vol. 7, no. 4, pp. 82-86, 2018. [http://www.iaees.org/publications/journals/arthropods/articles/2018-7\(4\)/Centrobolus-lawrencei-monomorphism.pdf](http://www.iaees.org/publications/journals/arthropods/articles/2018-7(4)/Centrobolus-lawrencei-monomorphism.pdf).
59. M. Cooper, "Confirmation of twenty-one species of Centrobolus Cook (Diplopoda: Pachybolidae) based on length and width data," 2018.
60. M. Cooper, "Centrobolus sagatinus sexual size dimorphism based on differences in horizontal tergite widths," J. Entomol. Zool. Stud. vol. 6, no. 6, pp. 275-277, 2018. DOI: 10.22271/j.ento.2018.v6.i6.3.05 <http://www.entomoljournal.com/archives/2018/vol6issue6/PartE/6-5-323-505.pdf>.
61. M. Cooper, "Centrobolus silvanus dimorphism based on tergite width," Glob. J. Zool. vol. 3, no. 1, pp. 003-005, 2018. <https://doi.org/10.17352/gjz.000010>.
62. M. Cooper, "A review on studies of behavioural ecology of Centrobolus (Diplopoda, Spirobolida, Pachybolidae) in southern Africa," Arthropod., vol. 8, no. 1, pp. 38-44, 2019.
63. M. I. Cooper, "Lawrence's red millipede Centrobolus lawrencei shows length-based variability and size dimorphism," J. Entomol. Zool. Stud. vol. 7, no. 2, pp. 1037-1039, 2019. DOI: 10.22271/j.ento.2019.v7.i2.9.07 <http://www.entomoljournal.com/archives/2019/vol7issue2/PartQ/7-2-114-662.pdf>.
64. M. Cooper, "Centrobolus titanophilus size dimorphism shows width-based variability," Arthropod., vol. 8, no. 2, pp. 80-86, 2019.
65. M. Cooper, "Non-significant intersexual differences in millipede mass," J. Entomol. Zool. Stud. vol. 7, no. 3, pp. 763-765, 2019. DOI: 10.22271/j.ento.2019.v7.i3m.5267 <http://www.entomoljournal.com/archives/2019/vol7issue3/PartM/7-3-90-458.pdf>.
66. M. I Cooper, "Quasi-experimental determination of a mass standard in the forest millipede Centrobolus inscriptus," J. Entomol. Zool. Stud. vol. 7, no. 3, pp. 772-774, 2019. DOI: 10.22271/j.ento.2019.v7.i3m.5269

- <http://www.entomoljournal.com/archives/2019/vol7issue3/PartM/7-3-58-913.pdf>.
67. M. I. Cooper, "Underlying sperm precedence pattern in the millipede *Centrobolus inscriptus* (Attems, 1928) (Diplopoda, Pachybolidae)," *J. Entomol. Zool. Stud.* vol. 7, no. 3, pp. 1066-1069, 2019. DOI: 10.22271/j.ento.2019.v7.i3r.5319
<http://www.entomoljournal.com/archives/2019/vol7issue3/PartR/7-3-106-957.pdf>.
68. M. Cooper, "When is the change in sperm precedence in the millipede *Centrobolus inscriptus*(Attems, 1928) (Diplopoda, Pachybolidae)?" *J. Entomol. Zool. Stud.* vol. 7, no. 4, pp. 183-186, 2019. DOI: 10.22271/j.ento.2019.v7.i4f.5439
<http://www.entomoljournal.com/archives/2019/vol7issue4/PartC/7-3-311-692.pdf>.
69. M. Cooper, "Julid millipede and spirobolid millipede gonopod functional equivalents," *J. Entomol. Zool. Stud.* vol. 7, no. 4, pp. 333-335, 2019. DOI: 10.22271/j.ento.2019.v7.i4f.5465
<http://www.entomoljournal.com/archives/2019/vol7issue4/PartF/7-3-329-431.pdf>.
70. M. Cooper, "Size dimorphism and directional selection in forest millipedes," *Arthropod.*, vol. 8, no. 3, pp. 102-109, 2019.
[http://www.iaees.org/publications/journals/arthropods/articles/2019-8\(3\)/size-dimorphism-and-directional-selection-in-forest-millipedes.pdf](http://www.iaees.org/publications/journals/arthropods/articles/2019-8(3)/size-dimorphism-and-directional-selection-in-forest-millipedes.pdf).
71. M. Cooper, "Xylophagous millipede surface area to volume ratios are size dependent in forests," *Arthropod.*, vol. 8, no. 4, pp. 127-136, 2019.
72. M. Cooper, "Size dimorphism in six juliform millipedes," *Arthropod.*, vol. 8, no. 4, pp. 137-142, 2019.
73. M. Cooper, "Year-round correlation between mass and copulation duration in forest millipedes," *Arthropod.*, vol. 9, no. 1, pp. 15-20, 2020.
74. M. Cooper, "Kurtosis and skew show longer males in *Centrobolus*," *Arthropod.*, vol. 9, no. 1, pp. 21-26, 2020.
75. M. Cooper, "Studies of behavioural ecology of *Centrobolus*," LAP LAMBERT Academic Publishing, Mauritius. pp. 1-420, 2020. ISBN: 978-620-2-52046-1.
76. M. Cooper, "Mating dynamics of South African forest millipedes," LAP LAMBERT Academic Publishing, Mauritius. pp. 1-164, 2020. ISBN: 978-620-0-58569-1.
77. M. Cooper, "Behavioural ecology of *Centrobolus*," LAP LAMBERT Academic Publishing, Mauritius. pp. 1-520, 2020. ISBN: 978-620-0-50406-7.
78. M. Cooper, "Zoomorphic variation with copulation duration in *Centrobolus*," *Arthropod.*, vol. 9, no. 2, pp. 63-67, 2020.
[http://www.iaees.org/publications/journals/arthropods/articles/2020-9\(2\)/zoomorphic-variation-with-copulation-duration-in-Centrobolus.pdf](http://www.iaees.org/publications/journals/arthropods/articles/2020-9(2)/zoomorphic-variation-with-copulation-duration-in-Centrobolus.pdf).
79. M. Cooper, "Latitudinal-size trend in eight species of *Centrobolus*," *J. Entomol. Zool. Stud.* vol. 8, no. 2, pp. 122-127, 2020.
<http://www.entomoljournal.com/archives/2020/vol8issue2/PartC/8-1-381-253.pdf>.
80. M. Cooper, "Longitudinal-size trend in eight species of *Centrobolus*," *Intern. J. Zool. Invest.* vol. 6, no. 1, pp. 58-64, 2020. <https://doi.org/10.33745/ijzi.2020.v06i01.005>.
81. Cooper, Mark. 2020. Latitudinal gradient in species richness of *Sphaerotherium*. *Arthropod.*, 9(4): 164-170.
[http://www.iaees.org/publications/journals/arthropods/articles/2020-9\(4\)/latitudinal-gradient-in-species-richness-of-Sphaerotherium.pdf](http://www.iaees.org/publications/journals/arthropods/articles/2020-9(4)/latitudinal-gradient-in-species-richness-of-Sphaerotherium.pdf).
82. Cooper, Mark. 2020. Latitudinal gradient in *Gnomeskelus* species richness. *Arthropod.*, 9(3): 104-111.
[http://www.iaees.org/publications/journals/arthropods/articles/2020-9\(3\)/latitudinal-gradient-in-Gnomeskelus-species-richness.pdf](http://www.iaees.org/publications/journals/arthropods/articles/2020-9(3)/latitudinal-gradient-in-Gnomeskelus-species-richness.pdf).
83. M. Cooper, "Correction: *Centrobolus dubius* (Schubart, 1966) Monomorphism," *Int. J. Res. Stud. Zool.* vol. 6, no. 2, pp. 25-28, 2020.
<http://www.arcjournals.org/pdfs/ijrsz/v6-i2/3.pdf>.
84. Cooper, Mark. 2020. *Paina kytikintä, seksuaalista dimorfismia ja takin höyheniä*. ISBN: 978-620-0-62336-2.
<https://www.researchgate.net/publication/355369789>.
85. Cooper, Mark. 2020. *Größen-sortiment in Centrobolus Cook, 1897 (Diplopoda: Pachybolidae)*. ISBN: 978-620-2-32349-9.
<https://www.researchgate.net/publication/355369768>.
86. Cooper, Mark. 29/05/2020. *Mating dynamics of South African forest millipedes*. LAP LAMBERT Academic Publishing, Mauritius. 1-164. ISBN: 978-620-0-58569-1. DOI: 10.13140/RG.2.2.12219.02081.
<https://www.researchgate.net/publication/384762913>.
87. M. Cooper, "Latitudinal and longitudinal gradients in Old World forest millipedes," LAP LAMBERT Academic Publishing: pp. 77, 2021 ISBN: 978-620-3-02454-8.
88. Differences between latitudinal species diversity gradients in forest millipedes. *Arthropods*, accepted.
89. Cooper, Mark. 05/08/2021. *웜과 같은 밀리페드의 교화 지속 시간 변화 (줄리포미아)*. Globe Edit, Latvia. 1-52. ISBN: 978-620-0-62533-5.
<https://www.megabooks.cz/p/18484201/koreanischer-titel>.
90. Cooper, Mark. 24/05/2021. *蠕蟲狀千足蟲的複製持續時間變化*. 1-52. Goldenlight publishing, Republic of Moldova. ISBN: 978-620-2-41290-2.
<https://www.researchgate.net/publication/358397336>.
91. Cooper, Mark. 18/05/2021. *A pázás időtartama a feregyszerű millipedek változása*. Globe Edit, Latvia. 1-52. ISBN: 978-620-0-62261-7.
<https://www.researchgate.net/publication/358396393>.
92. Cooper, Mark. 11/05/2021. *Variația duratei copulării în milipelele asemănătoare viermilor*. Globe Edit, Latvia. 1-56. ISBN: 978-620-0-62255-6.
<https://www.researchgate.net/publication/354793731>.
93. Cooper, Mark. 11/05/2021. *Parittelun keston vaihtelu matomaisten millipedes*. Globe Edit, Latvia. 1-52.

- ISBN: 978-620-0-62259-4.
<https://www.researchgate.net/publication/354793727>.
94. Cooper, Mark. 11/05/2021. ワーム様ミリペデスにおける交尾期間変動. Globe Edit, Latvia. 1-56. ISBN: 978-620-0-62260-0.
<https://www.researchgate.net/publication/354793726>.
95. Cooper, Mark. 2021. Variation de durée de copulation dans les mille-pattes vermifuges. 1-52. Publisher: Presses Académiques Francophones. ISBN: 978-3-8416-3326-2.
<https://www.researchgate.net/publication/355369828>.
96. Cooper, Mark. 03/05/2021. Kopuleringstidsvariation i maskliknande millipeder. Globe Edit, Latvia. 1-52. ISBN: 978-620-0-62277-8.
<https://www.researchgate.net/publication/354793714>.
97. Cooper, Mark. 27/04/2021. İçeriği *Centrobolus Cook* boyut aralığı, 1897 (Diplopoda: Pachybolidae). LAP LAMBERT Academic Publishing, Mauritius. 1-56. ISBN: 978-620-3-83963-0.
<https://www.researchgate.net/publication/354793638>.
98. Cooper, Mark. 26/04/2021. Variatie in copulatieduur in wormachtige duizendpoten. Globe Edit, Latvia. 1-52. ISBN: 978-620-0-62258-7.
<https://www.researchgate.net/publication/354793516>.
99. Cooper, Mark. 26/04/2021. Variation i kopulationsvarighed i ormelignende tusindben. Globe Edit, Latvia. 1-56. ISBN: 978-620-0-62257-0.
<https://www.researchgate.net/publication/354793485>.
100. Cooper, Mark. 23/04/2021. Copulation duration variation in worm-like millipedes. Scholars' Press, Mauritius. 1-52. ISBN: 978-3-639-66208-5.
<https://www.researchgate.net/publication/354793386>.
101. Cooper, Mark. 23/04/2021. Zmiana czasu trwania kopulacji w krocionogach przypominających robaki. Globe Edit, Latvia. 1-56. ISBN: 978-620-0-62248-8.
<https://www.researchgate.net/publication/354793376>.
102. Cooper, Mark. 23/04/2021. Variasjon i kokulasjonsvariasjon i ormlignende millipeder. Globe Edit, Latvia. 1-52. ISBN: 978-620-0-62250-1.
<https://www.researchgate.net/publication/354793299>.
103. Cooper, Mark. 2021. Verandering in copulatieduur bij wormduizendpoten. Publisher: Uitgeverij Onze Kennis. ISBN: 978-620-3-62160-0.
[https://www.amazon.com.au/Verandering-copulatieduur-bij-wormduizendpoten-Juliformes/dp/6203621609#:~:text=Verandering%20in%20copulatieduur%20bij%20wormduizendpoten:%20\(Juliformes\)%20\(Dutch%20Edition\).](https://www.amazon.com.au/Verandering-copulatieduur-bij-wormduizendpoten-Juliformes/dp/6203621609#:~:text=Verandering%20in%20copulatieduur%20bij%20wormduizendpoten:%20(Juliformes)%20(Dutch%20Edition).)
104. Cooper, Mark. 2021. Veränderung der Kopulationsdauer bei Wurmtausendfüßern. Publisher: Verlag Unser Wissen. ISBN: 978-620-3-62156-3.
<https://www.megabooks.cz/p/17620843/veranderung-der-kopulationsdauer-bei-wurmtausendfuern>.
105. Cooper, Mark. 2021. Copulation duration variation in worm-like millipedes. Publisher: Our Knowledge Publishing. ISBN: 978-620-3-62157-0.
<https://www.megabooks.cz/p/17824213/copulation-duration-variation-in-worm-like-millipedes>.
106. Cooper, Mark. 2021. Alteração na duração da cópula nas centopeias de minhocas. Publisher: Edicoes Nosso Conhecimento. ISBN13: 9786203621624.
<https://www.megabooks.cz/p/17824217/alterao-na-durao-da-copula-nas-centopeias-de-minhocas>.
107. Cooper, Mark. 2021. Modifica della durata della copulazione nei millepiedi vermi. Publisher: Edizioni Sapienza. ISBN: 978-620-3-62159-4.
<https://www.megabooks.cz/p/17824215/modifica-della-durata-della-copulazione-nei-millepiedi-vermi>.
108. Cooper, Mark. 2021. Verandering der copulatieduur bij wormduizendpoten. Publisher: Verlag Unser Wissen. ISBN: 978-620-3-62156-3.
<https://www.researchgate.net/publication/354799814>.
109. Cooper, Mark. 2021. Modification de la durée de la copulation chez les millipedes vermiformes. Publisher: Editions Notre Savoir. ISBN: 978-620-0-62258-7.
<https://www.megabooks.cz/p/17824214/modification-de-la-duree-de-la-copulation-chez-les-millipedes-vermiformes>.
110. Cooper, Mark. 2021. Zmiana czasu trwania kopulacji w krocionogach przypominających robaki. Publisher: Wydawnictwo Nasza Wiedza. ISBN: 978-620-3-62161-7.
<https://www.megabooks.cz/p/17824216/zmiana-czasu-trwania-kopulacji-w-krocionogach-przypominajacych-robaki>.
111. Cooper, Mark. 2021. Assortiment de tailles chez *Centrobolus Cook*, 1897. Publisher: Editions Notre Savoir. ISBN: 978-620-3-59603-8.
<https://www.megabooks.cz/p/17823715/assortiment-de-tailles-chez-centrobolus-cook-1897>.
112. Cooper, Mark. 2021. Assortiment wielkości u *Centrobolus Cook*, 1897 (Diplopoda: Pachybolidae). Publisher: Wydawnictwo Nasza Wiedza. ISBN: 978-620-3-59607-6.
<https://www.megabooks.cz/p/17823718/assortiment-wielkoci-u-centrobolus-cook-1897>.
113. Cooper, Mark. 2021. Groottesortering bij *Centrobolus Cook*, 1897. Publisher: Uitgeverij Onze Kennis. ISBN: 978-620-3-59605-2.
[https://www.amazon.com.au/Groottesortering-bij-Centrobolus-Cook-1897/dp/6203596051#:~:text=Groottesortering%20bij%20Centrobolus%20Cook,%201897:%20\(Diplopoda:%20Pachybolidae\)%20\(Dutch](https://www.amazon.com.au/Groottesortering-bij-Centrobolus-Cook-1897/dp/6203596051#:~:text=Groottesortering%20bij%20Centrobolus%20Cook,%201897:%20(Diplopoda:%20Pachybolidae)%20(Dutch)
114. Cooper, Mark. 2021. Assortimento di dimensioni in *Centrobolus Cook*, 1897. Publisher: Edizioni Sapienza. ISBN: 978-620-3-59604-5.
<https://www.megabooks.cz/p/17823716/assortimento-di-dimensioni-in-centrobolus-cook-1897>.
115. Cooper, Mark. 2021. Größensortierung bei *Centrobolus Cook*, 1897. Publisher: Verlag Unser Wissen. ISBN: 978-

- 620-3-59601-4.
<https://www.megabooks.cz/p/17552357/groensortierung-bei-centrobolus-cook-1897>.
116. Cooper, Mark. 2021. Size assortment in *Centrobolus Cook, 1897*. Publisher: Our Knowledge Publishing. ISBN: 978-620-3-59602-1.
<https://www.megabooks.cz/p/17823714/size-assortment-in-centrobolus-cook-1897>.
117. Cooper, Mark. 2021. Sortimento de tamanhos em *Centrobolus Cook, 1897*. Publisher: Edições Nosso Conhecimento. ISBN: 978-620-3-59608-3.
<https://www.megabooks.cz/p/17823719/sortimento-de-tamanhos-em-centrobolus-cook-1897>.
118. Cooper, Mark. Размерный ассортимент в *Centrobolus Cook, 1897* г. Publisher: Scienca Scripts. ISBN: 978-620-3-59606-9.
<https://blackwells.co.uk/bookshop/search/isbn/9786203596069>.
119. Cooper, Mark. 06/04/2021. Variation de durée de copulation dans les mille-pattes vermifuges. Presses Académiques Francophones, Mauritius. 1-52. ISBN: 978-3-8416-3326-2.
<https://blackwells.co.uk/bookshop/search/isbn/9783841633262>.
120. Cooper, Mark. 2021. Assortiment de taille chez *Centrobolus Cook, 1897* (Diplopoda : Pachybolidae). Publisher: Editions Notre Savoir. ISBN: 978-620-3-59603-8.
<https://openlibrary.org/books/OL32889104M/Assortiment-de-tailles-chez-Centrobolus-Cook-1897#:~:text=Assortiment%20de%20tailles%20chez%20Centrobolus%20Cook,%201897%20by%20Mark%20Cooper,>.
121. Cooper, Mark. 2021. Assortiment de taille chez *Centrobolus Cook, 1897*. ISBN: 978-620-3-54957-7.
<https://www.researchgate.net/publication/354792229>.
122. Cooper, Mark. 2021. El surtido de tamaños en *Centrobolus Cook, 1897* (Diplopoda: Pachybolidae). Publisher: Scienca Scripts. ISBN: 978-620-3-54956-0.
<https://www.researchgate.net/publication/354792134>.
123. Cooper, Mark. 2021. Größen-Sortierung bei *Centrobolus Cook, 1897* (Diplopoda: Pachybolidae). Publisher: Scienca Scripts. ISBN: 978-620-3-54955-3.
[https://www.amazon.de/Gr%C3%B6%C3%9Fen-Sortierung-Centrobolus-Cook-1897-Diplopoda/dp/620354955X#:~:text=Gr%C3%B6%C3%9Fen-Sortierung%20bei%20Centrobolus%20Cook,%201897%20\(Diplopoda:%20Pachybolidae\)%20%20Cooper,](https://www.amazon.de/Gr%C3%B6%C3%9Fen-Sortierung-Centrobolus-Cook-1897-Diplopoda/dp/620354955X#:~:text=Gr%C3%B6%C3%9Fen-Sortierung%20bei%20Centrobolus%20Cook,%201897%20(Diplopoda:%20Pachybolidae)%20%20Cooper,).
124. Cooper, Mark. 2021. Asortyment wielkościowy u *Centrobolus Cook, 1897* (Diplopoda: Pachybolidae). Publisher: Scienca Scripts. ISBN: 978-620-3-54960-7.
[https://www.amazon.co.uk/Asortyment-wielko%C5%9Bci-Centrobolus-Cook-1897/dp/6203596078#:~:text=Buy%20Asortyment%20wielko%C5%9Bci%20u%20Centrobolus%20Cook,%201897:%20\(Diplopoda:%20Pachybolidae\)%20by](https://www.amazon.co.uk/Asortyment-wielko%C5%9Bci-Centrobolus-Cook-1897/dp/6203596078#:~:text=Buy%20Asortyment%20wielko%C5%9Bci%20u%20Centrobolus%20Cook,%201897:%20(Diplopoda:%20Pachybolidae)%20by).
125. Cooper, Mark. 2021. Sortido de tamanho em *Centrobolus Cook, 1897* (Diplopoda: Pachybolidae). Publisher: Scienca Scripts. ISBN: 978-620-3-54961-4.
<https://www.researchgate.net/publication/354792052>.
126. Cooper, Mark. 2021. Dimensione-assortimento in *Centrobolus Cook, 1897* (Diplopoda: Pachybolidae). Publisher: Scienca Scripts. ISBN: 978-620-3-54958-4.
<https://www.researchgate.net/publication/354792077>.
127. Cooper, Mark. 31/03/2021. Cambio en la duración de la cópula en ciempiés gusano. Editorial Académica Española, Mauritius. 1-56. ISBN: 978-620-3-03965-8.
<https://www.researchgate.net/publication/354792010>.
128. Cooper, Mark. 2021. Groottesortering bij *Centrobolus Cook, 1897* (Diplopoda: Pachybolidae). Publisher: Scienca Scripts. ISBN: 978-620-3-54959-1.
<https://www.researchgate.net/publication/354791905>.
129. Cooper, Mark. 29/03/2021. Surtido de tamaño en *Centrobolus Cook, 1897*. Editorial Académica Española, Mauritius. 1-56. ISBN: 978-620-3-03960-3.
<https://www.researchgate.net/publication/354791921>.
130. Cooper, Mark. 29/03/2021. Variação da duração da cópula em milípedes semelhantes a vermes. Novas Edições Académicas, Mauritius. 1-56. ISBN: 978-620-3-46666-9.
<https://www.researchgate.net/publication/354791670>.
131. Cooper, Mark. 25/03/2021. Eski dünya ormanında latitudinal ve boyuna gradyanlar kırkayaklar. LAP LAMBERT Academic Publishing, Mauritius. 1-140. ISBN: 978-620-3-58136-2.
<https://www.researchgate.net/publication/354791363>.
132. Cooper, Mark. 2021. Variación de tamaño intrasexual e intersexual en *Centrobolus Cook, 1897*. Publisher: Scienca Scripts. ISBN: 978-620-3-50728-7.
<https://www.researchgate.net/publication/354791324>.
133. Cooper, Mark. 2021. Intraseksuele en interseksuele groottevariatie bij *Centrobolus Cook, 1897*. Publisher: Scienca Scripts. ISBN: 978-620-3-50732-4.
<https://www.researchgate.net/publication/354791293>.
134. Cooper, Mark. 2021. Variação de tamanho intrasexual e intersexual no *Centrobolus Cook, 1897*. Publisher: Scienca Scripts. ISBN: 978-620-3-50735-5.
<https://www.megabooks.cz/p/17829355/variao-de-tamanho-intrasexual-e-intersexual-no-centrobolus-cook-1897>.
135. Cooper, Mark. 2021. Интрасексуальные и интерсексуальные различия в размерах в *Centrobolus Cook, 1897* г. Publisher: Scienca Scripts. ISBN: 978-620-3-50734-8.
<https://www.researchgate.net/publication/354791231>.
136. Cooper, Mark. 2021. Variazione di taglia intrasessuale e intersessuale in *Centrobolus Cook, 1897*. Publisher: Scienca Scripts. ISBN: 978-620-3-50731-7.
<https://www.megabooks.cz/p/17829352/variazione-di-taglia-intrasessuale-e-intersessuale-in-centrobolus-cook-1897>.
137. Cooper, Mark. 2021. Variation de taille intrasexuelle et intersexuelle chez *Centrobolus Cook, 1897*. Publisher:

- Scienia Scripts. ISBN: 978-620-3-50730-0.
<https://www.megabooks.cz/p/17829351/variation-de-taille-intrasexuelle-et-intersexuelle-chez-centrobolus-cook-1897>.
138. Cooper, Mark. 2021. Wewnętrzna i międzypłciowa zmienność wielkości u *Centrobolus Cook*, 1897. Publisher: Scienia Scripts. ISBN: 978-620-3-50733-1.
<https://www.megabooks.cz/p/17829353/wewntrzpłciowa-i-międzyplciowa-zmiennoc-wielkoci-u-centrobolus-cook-1897>.
139. Cooper, Mark. 2021. Size-assortment in *Centrobolus Cook*, 1897 (Diplopoda: Pachybolidae). Publisher: Scholars' Press. ISBN: 978-613-8-95105-6.
<https://www.researchgate.net/publication/354791459>.
140. Купер, Марк. 25/03/2021. Диапазон размеров в *Centrobolus Cook*, 1897. LAP LAMBERT Academic Publishing, Mauritius. 1-56. ISBN: 978-620-3-58131-7.
<https://www.researchgate.net/publication/354791357>.
141. Cooper, Mark. 2021. Intrasexuelle und intersexuelle Größenvariation bei *Centrobolus Cook*, 1897. Publisher: Scienia Scripts. ISBN: 978-620-3-50729-4.
<https://www.megabooks.cz/p/17470313/intrasexuelle-und-intersexuelle-groenvariation-bei-centrobolus-cook-1897>.
142. Cooper, Mark. 23/03/2021. Variedade de tamanhos no *Centrobolus Cook*, 1897. Novas Edições Acadêmicas, Mauritius. 1-52. ISBN: 978-620-3-46650-8.
<https://www.researchgate.net/publication/354790986>.
143. Cooper, Mark. 2021. Size-assortment in *Centrobolus Cook*, 1897. Publisher: Scholars' Press. ISBN: 978-613-8-95118-6.
<https://www.researchgate.net/publication/354790962>.
144. Cooper, Mark. 17/03/2021. Intrasexual and intersexual size variation in *Centrobolus Cook*, 1897. Scholars' Press, Mauritius. 1-56. ISBN: 978-613-8-95101-8.
<https://www.researchgate.net/publication/354790893>.
145. M. Cooper, "Mass covaries with volume in forest millipedes *Centrobolus Cook*, 1897," J. Entomol. Zool. Stud. vol. 9, no. 6, pp. 190-192, 2021.
<http://www.entomoljournal.com/archives/2021/vol9issue6/PartC/9-6-36-202.pdf>.
146. COOPER, MARK IAN. THE SURFACE AREA IS RELATED TO MATING FREQUENCIES ACROSS SYMPATRIC *CENTROBOLUS ANULATUS* (ATTEMS, 1934) AND *C. INSCRIPTUS* (ATTEMS, 1928). Universe Int. J. Interdiscip. Res. 2022; 3(7): 11-20. DOI NO.: 08.2020-25662434 DOI Link: <https://uijir.com/the-surface-area-is-related-to-mating-frequencies-across-sympatric-centrobolus-anulatus-attems-1934-and-c-inscriptus-attems-1928-2/>.
<https://www.doi.org/doi/10.2022-39677929/UIJIR>.
147. Cooper, Mark I. VOLUME IS RELATED TO SURFACE-AREA-TO-VOLUME ACROSS *CENTROBOLUS COOK*, 1897. Universe Int. J. Interdiscip. Res. 2022; 3(6): 83-91. <https://uijir.com/wp-content/uploads/2022/12/11-221113-UIJIR.pdf>.
148. Cooper, Mark. SEX RATIO VARIES WITH AVERAGE SUN HOURS IN RED MILLIPEDES *CENTROBOLUS COOK*, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(6): 204-207.
<https://www.ijesird.com/wp-content/uploads/2024/05/DEC5.pdf>.
149. Cooper, Mark. SEX RATIO VARIES WITH RAINY DAYS IN RED MILLIPEDES *CENTROBOLUS COOK*, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(6): 199-203.
<https://www.ijesird.com/wp-content/uploads/2024/05/DEC4.pdf>.
150. Cooper, Mark. SEX RATIO VARIES WITH HUMIDITY IN RED MILLIPEDES *CENTROBOLUS COOK*, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(6): 194-198.
<https://www.ijesird.com/wp-content/uploads/2024/05/DEC3.pdf>.
151. Cooper, Mark. SEX RATIO VARIES WITH PRECIPITATION IN RED MILLIPEDES *CENTROBOLUS COOK*, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(6): 189-193.
<https://www.ijesird.com/wp-content/uploads/2024/05/DEC4new.pdf>.
152. Cooper, Mark. SEX RATIO VARIES WITH MAXIMUM TEMPERATURE IN RED MILLIPEDES *CENTROBOLUS COOK*, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(6): 184-188.
<https://www.ijesird.com/wp-content/uploads/2024/05/DEC3new.pdf>.
153. Cooper, Mark. SEX RATIO VARIES WITH MINIMUM TEMPERATURE IN RED MILLIPEDES *CENTROBOLUS COOK*, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(6): 179-183.
<https://www.ijesird.com/wp-content/uploads/2024/05/DEC2-1.pdf>.
154. Cooper, Mark. SEX RATIO VARIES WITH AVERAGE TEMPERATURE IN RED MILLIPEDES *CENTROBOLUS COOK*, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(6): 174-178.
<https://www.ijesird.com/wp-content/uploads/2024/05/DEC1.pdf>.
155. Cooper, Mark I. SURFACE-AREA-TO-VOLUME IS RELATED TO SEXUAL SIZE DIMORPHISM ACROSS *CENTROBOLUS COOK*, 1897. Universe Int. J. Interdiscip. Res. 2022; 3(6): 34-42.
<https://uijir.com/surface-area-to-volume-is->

- [related-to-sexual-size-dimorphism-across-centrobolus-cook-1897/](https://www.doi-ds.org/doi/10.2020-25662434). DOI NO.: 08.2020-25662434 DOI Link: <https://www.doi-ds.org/doi/10.2022-24116995/UIJIR>.
156. Cooper, Mark. TARSAL PAD LENGTHS ARE RELATED TO SURFACE-AREA-TO-VOLUME RATIOS IN *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2022; 3(6): 27-33. <https://www.doi-ds.org/doi/10.2022-98742794/UIJIR>. <https://uijir.com/wp-content/uploads/2022/11/4-22101-UIJIR.pdf>.
157. COOPER, MARK I. MOMENTS OF INERTIA COVARY WITH SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(5): 168-173. https://www.ijesird.com/wp-content/uploads/2024/05/nov_6.pdf
158. COOPER, MARK I. ARE SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIO RELATED TO LATITUDE AND LONGITUDE IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(5): 162-167. https://www.ijesird.com/wp-content/uploads/2024/05/nov_5.pdf
159. COOPER, MARK I. MATING FREQUENCY IS RELATED TO SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIOS IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(5): 155-161. https://www.ijesird.com/wp-content/uploads/2024/05/nov_4.pdf
160. Cooper, Mark I. DOES EJACULATE VOLUME VARY WITH SURFACE AREA AND SURFACE AREA TO VOLUME RATIO IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(5): 152-154. https://www.ijesird.com/wp-content/uploads/2024/05/nov_3.pdf
161. COOPER, MARK I. ARE SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIO RELATED TO COPULATION DURATION IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(4): 146-151. https://www.ijesird.com/wp-content/uploads/2024/05/nov_2.pdf
162. COOPER, MARK I. ARE SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIO RELATED TO SEX RATIOS IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(5): 140-145. https://www.ijesird.com/wp-content/uploads/2024/05/nov_1.pdf
163. Cooper, Mark I. ABUNDANCE IS RELATED TO SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIOS IN *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2022; 3(5): 231-240. <https://www.doi-ds.org/doi/10.2022-99614928/UIJIR>.
164. Cooper, M. A Latitudinal Gradient in Species Richness of Subgenus *Tetraconasoma* Verhoeff, 1924, not *Sphaerotherium* Brandt, 1833 (Diplopoda: Sphaerotheriida)? Int. j. zool. animal biol. 2022; 5(6): 000413. DOI: 10.23880/izab-16000413. <https://medwinpublishers.com/IZAB/a-latitudinal-gradient-in-species-richness-of-subgenus-tetraconasoma-verhoeff-1924-not-sphaerotherium-brandt-1833-diplopoda-sphaerotheriida.pdf>.
165. COOPER, MARK I. MASS COVARIES WITH SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(4): 133-138. <https://www.ijesird.com/wp-content/uploads/2023/10/october2.pdf>.
166. Cooper, Mark Ian. IS MASS CORRELATED WITH LENGTH AMONG RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Universe Int. J. Interdiscip. Res. 2022; 3(5): 98-103. <https://www.doi-ds.org/doi/10.2022-42796679/UIJIR>. <https://uijir.com/wp-content/uploads/2022/11/11-221012-UIJIR.pdf>.
167. COOPER, MARK. PREDICTED SPECIES RICHNESS VARIATION WITH TIME IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2022; 3(5): 80-88. <https://www.doi-ds.org/doi/10.2022-57466768/UIJIR>. <http://uijir.com/wp-content/uploads/2022/11/9-221023-UIJIR.pdf>.
168. Cooper, Mark I. PREDICTED MATING FREQUENCIES FOR CALCULATED AND CONTROLLED MASSES AT DISTANT LATITUDES AND LONGITUDES IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2022; 3(5): 9-17. <https://www.doi-ds.org/doi/10.2022-62878444/UIJIR>. <https://uijir.com/wp-content/uploads/2022/10/2-221008-UIJIR.pdf>.
169. Cooper, Mark I. NO LONGITUDINAL SPECIES DIVERSITY GRADIENT IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2022; 3(5): 1-8. <https://www.doi-ds.org/doi/10.2022-16757148/UIJIR>. <https://uijir.com/wp-content/uploads/2022/10/1-221007-UIJIR-.pdf>.
170. COOPER, MARK IAN. SURFACE AREA IS RELATED TO SPECIES RICHNESS ACROSS *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(4): 126-132. https://www.ijesird.com/wp-content/uploads/2023/10/oct_1.pdf.
171. Cooper, M. Converse of Rensch's rule is Probably true in Millipedes. International Journal of Zoology and Animal Biology. 2022; 5(5): 000410. DOI: 10.23880/izab-16000410. <https://medwinpublishers.com/IZAB/converse-of-renschs-rule-is-not-necessarily-true-in-millipedes.pdf>.
172. COOPER, MARK I. Mass variation with time in red millipedes *Centrobolus* Cook, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(3): 119-125. https://www.ijesird.com/wp-content/uploads/2023/10/sep_five.pdf.
173. COOPER, MARK I. PREDICTED ABUNDANCES FOR CALCULATED AND CONTROLLED SEXUAL SIZE DIMORPHISM AT DISTANT LATITUDES AND LONGITUDES IN RED MILLIPEDES *CENTROBOLUS*

- COOK, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(3): 113-118. https://www.ijesird.com/wp-content/uploads/2023/10/sep_four.pdf.
- 174.COOPER, MARK. MOMENTS OF INERTIA LINK TO MALE SIZE IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(3): 107-112. https://www.ijesird.com/wp-content/uploads/2023/10/sept_three_two.pdf.
- 175.Cooper, Mark. MOMENTS OF INERTIA ARE RELATED TO SPECIES RICHNESS IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2022; 4(3): 193-200. <http://www.doi-ds.org/doi/10.2022-84613577/UIJIR>. <http://uijir.com/wp-content/uploads/2022/10/27-UIJIR-938.pdf>.
- 176.Cooper, Mark. CORRELATION COEFFICIENT MATRIX FOR SIXTEEN FACTORS IN THE MATING SYSTEMS OF RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2022; 3(4): 148-155. <http://www.doi-ds.org/doi/10.2022-52233387/UIJIR>. <https://uijir.com/wp-content/uploads/2022/10/20-UIJIR-930.pdf>.
- 177.Cooper, Mark I. DOES SEXUAL SIZE DIMORPHISM VARY WITH FEWEST DAILY HOURS OF SUNSHINE IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Universe Int. J. Interdiscip. Res. 2022; 3(4): 33-36. <http://www.doi-ds.org/doi/10.2022-72997389/UIJIR>. <https://uijir.com/wp-content/uploads/2022/09/5-UIJIR-905.pdf>.
- 178.Cooper, Mark. DOES (PREDICTED) MASS CORRELATE WITH MATING FREQUENCIES IN *CENTROBOLUS* COOK, 1897? Universe Int. J. Interdiscip. Res. 2022; 3(4): 14-19. <http://www.doi-ds.org/doi/10.2022-18461239/UIJIR>.
- 179.Cooper, Mark I. DOES SEXUAL SIZE DIMORPHISM VARY WITH FEWEST DAILY HOURS OF SUNSHINE IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Universe Int. J. Interdiscip. Res. 2022; 3(3): 89-92. <http://www.doi-ds.org/doi/10.2022-94655978/UIJIR>.
- 180.COOPER, MARK IAN. IS A PROMINENT STERNITE RELATED TO SEX RATIOS AND ABUNDANCE IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(3): 103-106. https://www.ijesird.com/wp-content/uploads/2023/10/sep_two_6.pdf.
- 181.COOPER, MARK. IS SIZE OR SSD RELATED TO ABUNDANCE IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(3): 96-102. https://www.ijesird.com/wp-content/uploads/2023/10/sep_one.pdf.
- 182.Cooper, Mark. 2022. DOES SEXUAL SIZE DIMORPHISM VARY WITH BODY MASS IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897? Munis Entomol. Zool. Suppl. 17(supplement): 1621-1624. http://www.munisentzool.org/Issue/abstract/does-sexual-size-dimorphism-vary-with-body-mass-in-forest-millipedes-centrobolus-cook-1897_13861.
- 183.Cooper, Mark. 2022. DOES SEXUAL SIZE DIMORPHISM VARY WITH THE HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897? Munis Entomol. Zool. 17(supplement): 1596-1602. http://www.munisentzool.org/Issue/abstract/does-sexual-size-dimorphism-vary-with-the-highest-total-hours-of-sunshine-in-a-month-in-forest-millipedes-centrobolus-cook-1897_13858.
- 184.Cooper, Mark. 2022. DOES SEXUAL SIZE DIMORPHISM VARY WITH FEMALE WIDTH IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897? Munis Entomol. Zool. 17(supplement): 1562-1565. http://www.munisentzool.org/Issue/abstract/does-sexual-size-dimorphism-vary-with-female-width-in-forest-millipedes-centrobolus-cook-1897_13854.
- 185.COOPER, Mark I. ARE MATING FREQUENCIES RELATED TO EJACULATE VOLUMES IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(2): 93-95. https://www.ijesird.com/wp-content/uploads/2023/10/aug_ten.pdf.
- 186.Cooper, M. SIZE ACROSS WEATHER GRADIENTS IN PILL MILLIPEDES (DIPLOPODA): III. FEMALE VOLUME AND LOWEST NUMBER OF DAILY HOURS OF SUNSHINE (TOTAL), WARMEST MONTH OF THE YEAR, COOLEST MONTH IN THE YEAR, AVERAGE ANNUAL TEMPERATURE, AND MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS. Int. j. eng. sci. invention res. dev. 2022; 9(2): 88-92. https://www.ijesird.com/wp-content/uploads/2023/10/aug_nine.pdf.
- 187.Cooper, M. I. SIZE ACROSS WEATHER GRADIENTS IN PILL MILLIPEDES (DIPLOPODA): I. FEMALE VOLUME AND PRECIPITATION. Int. j. eng. sci. invention res. dev. 2022; 9(2): 84-87. https://www.ijesird.com/wp-content/uploads/2023/10/aug_eight.pdf.
- 188.Cooper, M. I. SIZE ACROSS WEATHER GRADIENTS IN PILL MILLIPEDES (DIPLOPODA): II. FEMALE VOLUME AND LOWEST NUMBER OF DAILY HOURS OF SUNSHINE (AVERAGE). Int. j. eng. sci. invention res. dev. 2022; 9(2): 80-83. https://www.ijesird.com/wp-content/uploads/2023/10/aug_seven.pdf.
- 189.Cooper, M. Ian. THE MOMENTS OF INERTIA TIE-UP WITH FEMALE SIZE, HOURS OF SUNSHINE THROUGHOUT THE YEAR, LATITUDE, LONGITUDE, AND MINIMUM TEMPERATURE IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2022; 3(2): 6-12. <http://www.doi-ds.org/doi/10.2022-76913842/UIJIR>.
- 190.Cooper, Mark. DOES EJACULATE VOLUME VARY WITH ABSOLUTE ABUNDANCE IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(2): 77-79.

- https://www.ijesird.com/wp-content/uploads/2023/10/6_aug_22.pdf.
191. Cooper, M. Ian. ARE MATING FREQUENCIES RELATED TO MALE AND FEMALE SIZE IN *CENTROBOLUS COOK*, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(2): 71-76. https://www.ijesird.com/wp-content/uploads/2023/10/5_aug_22.pdf.
192. Cooper, Mark. ARE ABSOLUTE ABUNDANCES RELATED TO TARSAL PAD LENGTH IN *CENTROBOLUS COOK*, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(2): 68-70. https://www.ijesird.com/wp-content/uploads/2023/10/4_aug_22.pdf.
193. Cooper, Mark. IS COPULATION DURATION RELATED TO TARSAL PAD LENGTH IN *CENTROBOLUS COOK*, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(2): 65-67. https://www.ijesird.com/wp-content/uploads/2023/10/3_aug_22.pdf.
194. Cooper, M. Ian. ARE MATING FREQUENCIES RELATED TO TARSAL PAD LENGTH IN *CENTROBOLUS COOK*, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(2): 1-4. https://www.ijesird.com/wp-content/uploads/2023/10/1_aug_22.pdf.
195. Cooper, Mark. ARE MATING FREQUENCIES RELATED TO MOMENTS OF INERTIA ACROSS THE SEXES IN *CENTROBOLUS COOK*, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 52-55. https://www.ijesird.com/wp-content/uploads/2023/10/13_jul_22.pdf.
196. Cooper, M. Ian. ARE MATING FREQUENCIES RELATED TO SEXUAL SIZE DIMORPHISM IN *CENTROBOLUS COOK*, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 49-51. https://www.ijesird.com/wp-content/uploads/2023/10/12_jul_22.pdf.
197. Cooper, M. Ian. ARE MATING FREQUENCIES RELATED TO SEX RATIO IN *CENTROBOLUS COOK*, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 45-48. https://www.ijesird.com/wp-content/uploads/2023/10/11_jul_22.pdf.
198. Cooper, M. Ian. IS A PROMINENT STERNITE RELATED TO WEATHER IN *CENTROBOLUS COOK*, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 41-44. https://www.ijesird.com/wp-content/uploads/2023/10/10_jul_22.pdf.
199. Cooper, M. Ian. DOES COPULATION DURATION VARY WITH SEX RATIO IN THE RED MILLIPEDE *CENTROBOLUS INSCRIPTUS* (ATTEMS, 1928)? Int. j. eng. sci. invention res. dev. 2022; 9(1): 38-40. https://www.ijesird.com/wp-content/uploads/2023/10/9_jul_22.pdf.
200. Cooper, M. Ian. ARE MATING FREQUENCIES RELATED TO ABSOLUTE ABUNDANCE IN *CENTROBOLUS COOK*, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 33-37. https://www.ijesird.com/wp-content/uploads/2023/10/8_jul-22.pdf.
201. Cooper, Mark I. Is mass related to latitude, longitude, and weather in *Centrobolus Cook*, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 27-32. https://www.ijesird.com/wp-content/uploads/2023/10/7_jul_22.pdf.
202. Cooper, M. I. Are coleopod spine length and number related to mass in *Centrobolus Cook*, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 24-26. https://www.ijesird.com/wp-content/uploads/2023/10/6_jul_22.pdf.
203. Cooper, M. I. Are coleopod spine length and number related to weather in *Centrobolus Cook*, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 16-23. https://www.ijesird.com/wp-content/uploads/2023/10/5_jul_22.pdf.
204. Cooper, M. Ian. Are a prominent sternite, coleopod spine length, and spine number related to mating frequencies in *Centrobolus Cook*, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 12-15. https://www.ijesird.com/wp-content/uploads/2023/10/4_jul_22.pdf.
205. Cooper, M. Ian. Does copulation duration vary with absolute abundance in red millipedes *Centrobolus Cook*, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 9-11. https://www.ijesird.com/wp-content/uploads/2023/10/3_jul_22.pdf.
206. Cooper, Mark Ian. Does sex ratio vary with absolute abundance in red millipedes *Centrobolus Cook*, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 5-8. https://www.ijesird.com/wp-content/uploads/2023/10/2_jul_22.pdf.
207. Cooper, M. Ian. Is a prominent sternite related to mass in *Centrobolus Cook*, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 1-4. https://www.ijesird.com/wp-content/uploads/2023/10/1_jul_22.pdf.
208. Cooper, Mark Ian. Sexual dimorphism across latitude in pill millipedes (Diplopoda). Zool. Entomol. Letrs. 2022; 2(2): 17-20. <http://www.zoologicaljournal.com/archives/2022.v2.i2.A.42>.
209. Cooper, M. Ian. 2022. COPULATION DURATION IS RELATED TO EJACULATING VOLUME IN *CENTROBOLUS INSCRIPTUS* (ATTEMS, 1928). Int. j. eng. sci. invention res. dev. 2022; 8(12): 32-40. https://www.ijesird.com/wp-content/uploads/2023/10/3_june_22.pdf.
210. Cooper, M. Ian. IS COPULATION DURATION RELATED TO MOMENTS OF INERTIA IN *CENTROBOLUS COOK*, 1897? Int. j. eng. sci. invention res. dev. 2022; 8(12): 29-31. https://www.ijesird.com/wp-content/uploads/2023/10/2_june_22.pdf.
211. Cooper, M. Ian. IS A PROMINENT STERNITE RELATED TO MOMENTS OF INERTIA IN *CENTROBOLUS COOK*, 1897? Int. j. eng. sci. invention res. dev. 2022; 8(12): 26-28. https://www.ijesird.com/wp-content/uploads/2023/10/1_june_22.pdf.
212. Cooper, M. THE TIE-IN OF MALE BODY WIDTH ON COPULATION DURATION IN *CENTROBOLUS COOK*, 1897. Universe Int. J. Interdiscip. Res. 2022; 3(1):

- 45-47. <http://www.doi-ds.org/doiink/06.2022-88932399/UIJIR>.
213. Cooper, M. I. FEMALE VOLUME, LOWEST HOURS OF SUNSHINE, MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS, RAINFALL, AND TEMPERATURES IN THE COOLEST AND WARMEST MONTHS OF THE YEAR ARE RELATED TO LATITUDE (AND LONGITUDE) ACROSS THE DISTRIBUTION OF PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. Universe Int. J. Interdiscip. Res. 2022; 3(1): 11-22. <http://www.doi-ds.org/doiink/06.2022-51527898/UIJIR>.
214. Cooper, M. I. THE MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS, AVERAGE AND WARMEST TEMPERATURES, DAILY HOURS OF SUNSHINE, AND RAINFALL ACROSS THE DISTRIBUTION OF PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. Universe Int. J. Interdiscip. Res. 2022; 3(1): 1-10. <http://www.doi-ds.org/doiink/06.2022-62322612/UIJIR>.
215. Cooper, Mark Ian. Is mass correlated with width among red millipedes *Centrobolus* Cook, 1897? Zool. Entomol. Lett. 2022; 2(1): 81-85. <http://www.zoologicaljournal.com/archives/2022.v2.i1.B.3.8>.
216. Cooper, Mark Ian. Do copulation duration and sexual size dimorphism vary with relative abundance in red millipedes *Centrobolus* Cook, 1897? Acta Entomol. Zool. 2022; 3(1): 06-09. <http://www.actajournal.com/archives/2022.v3.i2.A.69>. <https://doi.org/10.33545/27080013.2022.v3.i2a.69>.
217. Cooper, Mark Ian. Is a prominent sternite related to spine length, spine number, copulation duration, and male width in *Centrobolus* Cook, 1897? Acta Entomol. Zool. 2022; 3(2): 01-05. <http://www.actajournal.com/archives/2022.v3.i2.A.68>. <https://doi.org/10.33545/27080013.2022.v3.i2a.68>.
218. Cooper, M. THE MOMENTS OF INERTIA TIE-UP WITH PRECIPITATION, NUMBER OF RAINY DAYS, LOWEST RELATIVE HUMIDITY, AND AVERAGE TEMPERATURE IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. J. Re. Res. Thesis Diss. 2022; 3(1): 130-145. <https://doi.org/10.5281/zenodo.6659980>.
219. Cooper, M. THE MOMENTS OF INERTIA TIE-UP WITH SEXUAL SIZE DIMORPHISM IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. J. Re. Res. Thesis Diss. 2022; 3(1): 127-129. <https://doi.org/10.5281/zenodo.6656536>.
220. Cooper, Mark Ian. DOES SEXUAL SIZE DIMORPHISM VARY WITH LOG SEXUAL SIZE DIMORPHISM IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Universe Int. J. Interdiscip. Res. 2022; 2(12): 52-54. <http://www.doi-ds.org/doiink/06.2022-83544225/UIJIR>.
221. Cooper, Mark I. The inverse latitudinal gradients in species richness of Southern African millipedes. Int. J. Re. Res. Thesis Diss. 2022; 3(1): 91-112. <https://doi.org/10.5281/zenodo.6613064>.
222. Cooper, Mark I. Do copulation durations of sympatric red millipedes vary seasonally with mating frequencies? Int. J. Re. Res. Thesis Diss. 2022; 3(1): 85-90. <https://doi.org/10.5281/zenodo.6613001>.
223. Cooper, Mark. DOES SEXUAL SIZE DIMORPHISM VARY WITH PRECIPITATION IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897? Munis Entomology and Zoology. 17(2): 1185-1189. http://www.munisentzool.org/Issue/abstract/does-sexual-size-dimorphism-vary-with-precipitation-in-forest-millipedes-centrobolus-cook-1897_13813.
224. Cooper, Mark. DOES SEXUAL SIZE DIMORPHISM VARY WITH FEMALE LENGTH IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897? Universe Int. J. Interdiscip. Res. 2(12): 1-7. <http://www.doi-ds.org/doiink/05.2022-69939779/UIJIR>.
225. Cooper, Mark Ian. Do copulation duration and sexual size dimorphism vary with absolute abundance in red millipedes *Centrobolus* Cook, 1897? Acta Entomol. Zool. 2022; 3(1): 51-54. <http://www.actajournal.com/archives/2022.v3.i1.A.64>. <https://doi.org/10.33545/27080013.2022.v3.i1a.64>.
226. Cooper, Mark. Millipede mass: Intersexual differences. Zool. Entomol. Lett. 2022; 2(1): 69-70. <http://www.zoologicaljournal.com/archives/2022.v2.i1.B.3.6>.
227. Cooper, Mark. Does sexual size dimorphism vary with sex ratio in red millipedes *Centrobolus* Cook, 1897? Zool. Entomol. Lett. 2022; 2(1): 66-68. <http://www.zoologicaljournal.com/archives/2022.v2.i1.B.3.5>.
228. Cooper, Mark. Does sexual size dimorphism vary with maximum and minimum temperatures in red millipedes *Centrobolus* Cook, 1897? Zool. Entomol. Lett. 2022; 2(1): 60-65. <http://www.zoologicaljournal.com/archives/2022.v2.i1.B.3.4>.
229. Cooper, Mark. Mating frequencies of sympatric red millipedes differ across substrate due to absolute abundances. Acta Entomol. Zool. 2022; 3(1): 34-39. I: <https://doi.org/10.33545/27080013.2022.v3.i1a.62>.
230. Cooper, Mark. Does sexual size dimorphism vary with time in red millipedes *Centrobolus* Cook, 1897? Zool. Entomol. Lett. 2(1): 30-35. <http://www.zoologicaljournal.com/archives/2022.v2.i1.A.29>.
231. Cooper, Mark Ian. Five factors effecting copulation duration in the breeding season in forest millipedes *Centrobolus* Cook, 1897. Zool. Entomol. Lett. 2(1): 17-22. <http://www.zoologicaljournal.com/archives/2022.v2.i1.A.26>.
232. Cooper, Mark. DOES SEXUAL SIZE DIMORPHISM VARY WITH SPECIES RICHNESS IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897? Universe

- Int. J. Interdiscip. Res. 2(10): 25-29. <http://www.doi-ds.org/doi/10.2022-91496952/UIJIR>.
233. Cooper, Mark. PAIR-WISE COMPARISON OF SEXUAL SHAPE DIMORPHISM AMONG FIFTEEN FACTORS IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2(10): 9-14. <http://www.doi-ds.org/doi/10.2022-18727172/UIJIR>.
234. Cooper, Mark. Does sexual size dimorphism vary with hours of sunshine throughout the year in forest millipedes *Centrobolus* Cook, 1897? Acta Entomol. Zool. 3(1): 19-25. DOI: <https://doi.org/10.33545/27080013.2022.v3.i1a.58>.
235. Cooper, Mark. Does sexual size dimorphism vary with female size in forest millipedes *Centrobolus* Cook, 1897? Acta Entomol. Zool. 3(1): 15-18. <https://doi.org/10.33545/27080013.2022.v3.i1a.57>.
236. Cooper, Mark. PAIR-WISE COMPARISON OF SEXUAL SIZE DIMORPHISM AMONG NINE FACTORS IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2(9): 31-33. <http://www.doi-ds.org/doi/10.2022-75935617/UIJIR>.
237. Cooper, Mark. DOES SEXUAL SIZE DIMORPHISM VARY WITH MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2(9): 9-14. <http://www.doi-ds.org/doi/10.2022-63261534/UIJIR>.
238. Cooper, Mark. Does sexual size dimorphism vary with temperature in forest millipedes *Centrobolus* Cook, 1897? Acta Entomol. Zool. 2022;3(1):08-11. <https://doi.org/10.33545/27080013.2022.v3.i1a.51>.
239. Cooper, Mark. Does sexual size dimorphism vary with latitude in forest millipedes *Centrobolus* Cook, 1897? Int. J. Re. Res. Thesis Diss. 2022; 3(1): 6-11. <http://www.paperpublications.org/issue/IJRRTD/Issue-1-January-2022-June-2022>.
240. Cooper, Mark. Does sexual size dimorphism vary with longitude in forest millipedes *Centrobolus* Cook, 1897? International Journal of Recent Research in Thesis and Dissertation. 2022; 3(1): 1-5. <http://www.paperpublications.org/issue/IJRRTD/Issue-1-January-2022-June-2022>.
241. Cooper, Mark. The copulation duration allometry in *Centrobolus* (Diplopoda: Spirobolida: Pachybolidae). J. Entomol. Zool. Stud. 2022;10(1):63-68. <https://doi.org/10.22271/j.ento.2022.v10.i1a.8925>.
242. Cooper, Mark. The inverse latitudinal gradient in species richness of forest millipedes: Pachybolidae Cook, 1897. J. Entomol. Zool. Stud. 2022;10(1):05-08. <http://www.entomoljournal.com/archives/2022/vol10issue1/PartA/9-6-49-906.pdf>.
243. Cooper, Mark. The inverse latitudinal gradient in species richness of forest millipedes: Pentazonia Brandt, 1833. J. Entomol. Zool. Stud. 2022;10(1):01-04. <http://www.entomoljournal.com/archives/2022/vol10issue1/PartA/9-6-47-884.pdf>.
244. Cooper, Mark. (2022). Total Body Rings Increase with Latitude and Decrease with Precipitation in Forest Millipedes *Centrobolus* Cook, 1897. *New Visions in Biological Science* Vol. 9, 96-101. <http://doi.org/10.9734/bpi/nvbs/v9/1900A>.
245. Cooper, Mark. (2022). The Latitudinal Gradient in Dalodesmidae Cook, 1896a Species Richness. *New Visions in Biological Science* Vol. 9, 89-95. <http://doi.org/10.9734/bpi/nvbs/v9/1899A>.
246. Cooper, Mark. (2022). The Inverse Latitudinal Gradient in Species Richness of Forest Millipedes: *Centrobolus* Cook, 1897. *New Visions in Biological Science* Vol. 9, 82-88. <http://doi.org/10.9734/bpi/nvbs/v9/1898A>.
247. Cooper, Mark. (2022). Bergmann's Rule: Size Correlates with Longitude and Temperature in Forest Millipedes *Centrobolus* Cook, 1897. *New Visions in Biological Science* Vol. 9, 68-81. <http://doi.org/10.9734/bpi/nvbs/v9/1897A>.
248. Cooper, Mark. (2022). Why Sexual Size Dimorphism Increases with Longitude, Precipitation and Temperature and Decreases with Latitude in Forest Millipedes *Centrobolus* Cook, 1897. *New Visions in Biological Science* Vol. 9, 58-67. <http://doi.org/10.9734/bpi/nvbs/v9/1896A>.
249. Cooper, Mark. (2022). The Relationships between Sexual Size Dimorphism and Precipitation and Female Size and Temperature in *Sphaerotherium* Brandt, 1833. *New Visions in Biological Science* Vol. 9, 52-57. <http://doi.org/10.9734/bpi/nvbs/v9/1895A>.
250. Cooper, Mark. (2022). Mating Order Establishes Male Size Advantage in the Polygynandrous Millipede *Centrobolus inscriptus* Attems, 1928. *New Visions in Biological Science* Vol. 9, 46-51. <http://doi.org/10.9734/bpi/nvbs/v9/1894A>.
251. Cooper, Mark. (2022). Length and Width Correlations in *Centrobolus* Cook, 1897. *New Visions in Biological Science* Vol. 9, 39-45. <http://doi.org/10.9734/bpi/nvbs/v9/1893A>.
252. Cooper, Mark. (2022). The Copulation duration Allometry in Worm-like Millipedes (Diplopoda: Chilognatha: Helminthomorpha). *New Visions in Biological Science* Vol. 9, 29-38. <http://doi.org/10.9734/bpi/nvbs/v9/1892A>.
253. Cooper, Mark. (2022). The Copulation duration Allometry in *Centrobolus* (Diplopoda: Spirobolida: Pachybolidae). *New Visions in Biological Science* Vol. 9, 21-28. <http://doi.org/10.9734/bpi/nvbs/v9/1891A>.
254. Cooper, Mark. (2022). Assessment of Latitudinal Gradient in Species Richness of *Sphaerotherium*. *New Visions in Biological Science* Vol. 9, 14-20. <http://doi.org/10.9734/bpi/nvbs/v9/1885A>.
255. Cooper, Mark. (2022). Study About Size Dimorphism and Directional Selection in Forest Millipedes. *New Visions in Biological Science* Vol. 9, 7-13. <http://doi.org/10.9734/bpi/nvbs/v9/1884A>.
256. Cooper, Mark. (2022). Behavioral ecology of *Centrobolus* (Diplopoda, Spirobolida, Pachybolidae) in Southern

- Africa. *New Visions in Biological Science* Vol. 9, 1-6. <http://doi.org/10.9734/bpi/nvbs/v9/1883A>.
257. Cooper, Mark. (2022). Study on Zoomorphic Variation with Copulation Duration in Centrobolus. *New Visions in Biological Science* Vol. 8, 144-149. <http://doi.org/10.9734/bpi/nvbs/v8/1882A>.
258. Cooper, Mark. (2022). Assessment of Latitudinal Gradient in Gnomeskelus Species Richness. *New Visions in Biological Science* Vol. 8, 136-143. <http://doi.org/10.9734/bpi/nvbs/v8/1881A>.
259. Cooper, Mark. (2022). A Study on Centrobolus titanophilus Size Dimorphism Shows Width-Based Variability. *New Visions in Biological Science* Vol. 8, 129-135. <http://doi.org/10.9734/bpi/nvbs/v8/1880A>.
260. Cooper, Mark. (2022). Xylophagous Millipede Surface Area to Volume Ratios are Size-dependent in Forests: A Brief Study. *New Visions in Biological Science* Vol. 8, 120-128. <http://doi.org/10.9734/bpi/nvbs/v8/1879A>.
261. Cooper, Mark. (2022). Study on Size Dimorphism in Six Juliform Millipedes. *New Visions in Biological Science* Vol. 8, 113-119. <http://doi.org/10.9734/bpi/nvbs/v8/1878A>.
262. Cooper, Mark. (2022). Study on Year-round Correlation between Mass and Copulation Duration in Forest Millipedes. *New Visions in Biological Science* Vol. 8, 107-112. <http://doi.org/10.9734/bpi/nvbs/v8/1877A>.
263. Cooper, Mark. (2022). Longer Males Determined with Positive Skew and Kurtosis in Centrobolus (Diplopoda: Spirobolida: Pachybolidae). *New Visions in Biological Science* Vol. 8, 102-106. <http://doi.org/10.9734/bpi/nvbs/v8/1876A>.
264. Cooper, M. AIR PRESSURE IS NOT RELATED TO SPECIES RICHNESS IN PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1553-1556. https://www.ijesird.com/wp-content/uploads/2024/05/chapter_18.pdf.
265. Cooper, M. HIGH AIR PRESSURE IS RELATED TO LOW SPECIES RICHNESS IN GNOMESKELUS ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1548-1551. https://www.ijesird.com/wp-content/uploads/2024/05/chapter_17.pdf.
266. Cooper, M. I. AIR PRESSURE IS (INVERSELY) RELATED TO SPECIES RICHNESS IN DALODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1543-1547. https://www.ijesird.com/wp-content/uploads/2024/05/chapter_16.pdf.
267. Cooper, M. NO AIR PRESSURE-SPECIES RICHNESS RELATIONSHIP IN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2023; 10 (6): 1540-1542. https://www.ijesird.com/wp-content/uploads/2024/05/chapter_15.pdf.
268. COOPER M. CURVED SURFACE AREA IS RELATED TO AT LEAST TWENTY FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1438-1509. https://www.ijesird.com/wp-content/uploads/2024/05/chapter_14.pdf.
269. Cooper M. VOLUME IS RELATED TO OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1410-1437. https://www.ijesird.com/wp-content/uploads/2024/05/December_17_23.pdf.
270. Cooper M. FACTORS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1376-1409. https://www.ijesird.com/wp-content/uploads/2024/05/December_16_23.pdf.
271. COOPER M. MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IS RELATED TO AT LEAST FOUR FACTORS AND MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO FIVE FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1355-1375. https://www.ijesird.com/wp-content/uploads/2024/05/December_15_23.pdf.
272. COOPER M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO TIME IN RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1354. https://www.ijesird.com/wp-content/uploads/2024/05/December_14_23.pdf.
273. Cooper M. I. AIR PRESSURE IS RELATED TO AT LEAST SEVEN FACTORS AND DISTANCE TO THE NEAREST AIRPORT IS RELATED TO AT LEAST THREE FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1330-1354. https://www.ijesird.com/wp-content/uploads/2024/05/December_13_23.pdf.
274. Cooper M. SURFACE AREA, SURFACE AREA TO VOLUME RATIO, AND CLIMATIC CORRELATES IN PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1299-1329. https://www.ijesird.com/wp-content/uploads/2024/05/December12_23.pdf.
275. Cooper Mark. DOES EJACULATE VOLUME, MASS AND COLEOPOD SPINE LENGTH AND NUMBER VARY WITH MOMENTS OF INERTIA AND SEX RATIO IN CENTROBOLUS COOK, 1897? Int. j. eng. sci. invention res. dev. 2023; 10(6): 1282-1298. https://www.ijesird.com/wp-content/uploads/2024/05/December11_23.pdf.
276. Cooper M. STERNITE PROMINENCE AND OCEAN WATER TEMPERATURE ARE RELATED TO ABUNDANCE IN CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1266-1281.

- https://www.ijesird.com/wp-content/uploads/2024/05/December_10_23.pdf.
277. Cooper M. FACTORS RELATED TO SUNSHINE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1146-1265. https://www.ijesird.com/wp-content/uploads/2024/05/December_9_23.pdf.
278. Cooper M. I. MASS IS RELATED TO NINE FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1126-1142. https://www.ijesird.com/wp-content/uploads/2024/05/December_8_23.pdf.
279. Cooper M. LOWEST RELATIVE HUMIDITY IS RELATED TO HIGHEST RELATIVE HUMIDITY, HIGHEST OCEAN WATER TEMPERATURE, STERNITE PROMINENCE AND MOMENTS OF INERTIA AND HIGHEST RELATIVE HUMIDITY IS RELATED TO ABUNDANCE, MINIMUM AND MAXIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1104-1125. https://www.ijesird.com/wp-content/uploads/2024/05/December_7_23.pdf.
280. Cooper M. CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF 23 LOCALITIES IN SOUTHERN AFRICA. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 820-992. https://www.ijesird.com/wp-content/uploads/2024/05/nov_11_23.pdf.
281. Cooper M. (2023). FEMALE SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development; Vol. 10, Issue 4, October pp. 1-19. https://www.ijesird.com/wp-content/uploads/2024/05/chapter_1.pdf.
282. Cooper, M. AIR PRESSURE IS RELATED TO SPECIES RICHNESS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1510-1534. https://www.ijesird.com/wp-content/uploads/2024/05/december_7.pdf.
283. COOPER M. I. ABUNDANCE IS RELATED TO AT LEAST SEVEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1088-1103. https://www.ijesird.com/wp-content/uploads/2024/05/December_6_23.pdf.
284. Cooper M. VOLUMES AND CURVED SURFACE AREAS ARE DIFFERENT BETWEEN THE SEXES OF A PAIR OF SYMPATRIC FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1074-1087. https://www.ijesird.com/wp-content/uploads/2024/05/December_5_23.pdf.
285. Cooper M. FACTORS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1039-1073. https://www.ijesird.com/wp-content/uploads/2024/05/DEcember_4_23.pdf.
286. COOPER M. I. PROBABLE SOLUTION OF RAINY DAY VARIATIONS FOR SET MATING FREQUENCIES AND MALE AND FEMALE WIDTHS IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1026-1038. https://www.ijesird.com/wp-content/uploads/2024/05/December_3_23.pdf.
287. Cooper, M. SURFACE AREA IS NOT RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS, PRECIPITATION OR MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1008-1025. https://www.ijesird.com/wp-content/uploads/2024/05/December_2_23.pdf.
288. Cooper M. I. COPULATION DURATION IS RELATED TO AT LEAST EIGHT FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 993-1007. https://www.ijesird.com/wp-content/uploads/2024/05/DEcember_1_23.pdf.
289. COOPER M. I. SURFACE AREA IS RELATED TO AT LEAST ELEVEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(5): 792-819. https://www.ijesird.com/wp-content/uploads/2024/05/nov_10_23.pdf.
290. COOPER M. I. WIDTH IS RELATED TO AT LEAST ELEVEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(5): 759-791. https://www.ijesird.com/wp-content/uploads/2024/05/nov_9_23.pdf.
291. COOPER M. LENGTH IS RELATED TO AT LEAST THIRTEEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(5): 727-758. https://www.ijesird.com/wp-content/uploads/2024/05/nov_8_23.pdf.
292. Cooper M. AVERAGE TEMPERATURE, MINIMUM TEMPERATURE, MAXIMUM TEMPERATURE, PRECIPITATION, HUMIDITY, RAINY DAYS, AND AVERAGE SUN HOURS ACROSS THE DISTRIBUTION OF *CENTROBOLUS* IN SOUTHERN AFRICA. Int. j. eng. sci. invention res. dev. 2023; 10(5): 700-726. https://www.ijesird.com/wp-content/uploads/2024/05/nov_7_23.pdf.
293. Cooper M. SEXUAL SIZE DIMORPHISM IS CORRELATED TO MAXIMUM PRECIPITATION IN

- FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(5): 673-699. https://www.ijesird.com/wp-content/uploads/2024/05/nov_6_23.pdf.
294. Cooper M. I. MATING FREQUENCY MAY BE RELATED TO AT LEAST SIXTEEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(5): 646-672. https://www.ijesird.com/wp-content/uploads/2024/05/nov_5_23.pdf.
295. Cooper M. HIGHEST DURATION OF SUNSHINE IS RELATED TO MALE SECOND POLAR MOMENTS OF INERTNESS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(5): 621-641. https://www.ijesird.com/wp-content/uploads/2024/05/nov_3_23.pdf.
296. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MATING FREQUENCIES, SPECIES VOLUME AND SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(5): 593-620. https://www.ijesird.com/wp-content/uploads/2024/05/nov_2_23.pdf.
297. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE DIFFERENT IN AND BETWEEN TWO PAIRS OF FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(5): 573-592. https://www.ijesird.com/wp-content/uploads/2024/05/nov_1_23.pdf.
298. Cooper M. SEXUAL SIZE DIMORPHISM IS CORRELATED TO MEAN OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 554-572. https://www.ijesird.com/wp-content/uploads/2024/05/oct_14_23.pdf.
299. Cooper M. MALE SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 535-553. https://www.ijesird.com/wp-content/uploads/2024/05/oct_13_23.pdf.
300. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO AVERAGE TEMPERATURE VARIATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 515-534. https://www.ijesird.com/wp-content/uploads/2024/05/oct_12_23.pdf.
301. Cooper M. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO SPECIES RICHNESS IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 491-508. https://www.ijesird.com/wp-content/uploads/2024/05/oct10_23.pdf.
302. Cooper M. SPECIES RICHNESS IS marginally RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 473-490. https://www.ijesird.com/wp-content/uploads/2024/05/oct9_23.pdf.
303. Cooper M. SPECIES RICHNESS IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 456-472. https://www.ijesird.com/wp-content/uploads/2024/05/oct8_23.pdf.
304. Cooper M. SPECIES RICHNESS IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 439-455. https://www.ijesird.com/wp-content/uploads/2024/05/oct7_23.pdf.
305. Cooper M. SPECIES RICHNESS IS RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 421-438. https://www.ijesird.com/wp-content/uploads/2024/05/oct6_23.pdf.
306. Cooper M. SPECIES RICHNESS IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 403-420. https://www.ijesird.com/wp-content/uploads/2024/05/oct5_23.pdf.
307. Cooper M. SPECIES RICHNESS IS RELATED TO MEAN OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 386-402. https://www.ijesird.com/wp-content/uploads/2024/05/oct4_23.pdf.
308. Cooper M. SPECIES RICHNESS IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 368-385. https://www.ijesird.com/wp-content/uploads/2024/05/oct3_23.pdf.
309. Cooper M. SPECIES RICHNESS IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 349-367. https://www.ijesird.com/wp-content/uploads/2024/05/oct2_23.pdf.
310. Cooper M. CURVED SURFACE AREA IS RELATED TO SPECIES RICHNESS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 330-348.

- https://www.ijesird.com/wp-content/uploads/2024/05/oct1_23.pdf.
311. Cooper M. SEXUAL SIZE DIMORPHISM IS CORRELATED TO MINIMUM OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 302-320. https://www.ijesird.com/wp-content/uploads/2024/05/sep13_23.pdf.
312. Cooper M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 283-301. https://www.ijesird.com/wp-content/uploads/2024/05/sep12_23.pdf.
313. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 266-282. https://www.ijesird.com/wp-content/uploads/2024/05/sep11_23.pdf.
314. Cooper M. SURFACE AREA-TO-VOLUME RATIO ARE RELATED TO SECOND POLAR MOMENTS OF INERTNESS IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 249-265. https://www.ijesird.com/wp-content/uploads/2024/05/sep10_23.pdf.
315. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 231-248. https://www.ijesird.com/wp-content/uploads/2024/05/sep9_23.pdf.
316. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 214-230. https://www.ijesird.com/wp-content/uploads/2024/05/sep8_23.pdf.
317. Cooper M. STERNITE PROMINENCE IS RELATED TO SECOND POLAR MOMENTS OF INERTNESS IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 198-213. https://www.ijesird.com/wp-content/uploads/2024/05/sep7_23.pdf.
318. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 181-197. https://www.ijesird.com/wp-content/uploads/2024/05/sep6_23.pdf.
319. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO WIDTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 164-180. https://www.ijesird.com/wp-content/uploads/2024/05/sep5_23.pdf.
320. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 147-163. https://www.ijesird.com/wp-content/uploads/2024/05/sep4_23.pdf.
321. Cooper M. CURVED SURFACE AREA IS RELATED TO SECOND POLAR MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 130-146. https://www.ijesird.com/wp-content/uploads/2024/05/sep3_23.pdf.
322. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 129-145. https://www.ijesird.com/wp-content/uploads/2024/05/sep2_23.pdf.
323. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO SPECIES RICHNESS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 113-128. https://www.ijesird.com/wp-content/uploads/2024/05/sep1_23.pdf.
324. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO ABUNDANCE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(2): 89-99. https://www.ijesird.com/wp-content/uploads/2023/10/aug_2023_7.pdf.
325. Cooper M. MALE SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO COPULATION DURATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(2): 77-88. https://www.ijesird.com/wp-content/uploads/2023/10/aug_2023_6.pdf.
326. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO (MALE) MASS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(2): 66-76. https://www.ijesird.com/wp-content/uploads/2023/10/aug_2023_5.pdf.
327. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(2): 54-65. https://www.ijesird.com/wp-content/uploads/2023/10/aug_2023_4.pdf.
328. Cooper M. SURFACE AREA IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES

- CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(2): 37-53. https://www.ijesird.com/wp-content/uploads/2023/10/aug_2023_3.pdf.
329. Cooper M. (FEMALE) SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO SEXUAL SIZE DIMORPHISM IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(2): 24-36. https://www.ijesird.com/wp-content/uploads/2023/10/aug_2023_2.pdf.
330. COOPER, MARK. AN INVERSE LATITUDINAL GRADIENT IN SPECIES RICHNESS OF FOREST RED MILLIPEDES *CHERSASTUS ATTEMUS*, 1926 AND *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(2): 5-23. https://www.ijesird.com/wp-content/uploads/2023/08/aug_2023_1.pdf.
331. Cooper M. Update: Random time-activity budgets in captive Southern Ground Hornbill *Bucorvus leadbeateri* [S Afr J Sci. 2013;109(7/8), Art. #a0028]. S Afr J Sci. 2023;119(7/8), Art. #a0028U. <https://doi.org/10.17159/sajs.2023/a0028U>.
332. COOPER, MARK. THE INVERSE LATITUDINAL GRADIENT IN SPECIES RICHNESS OF FOREST MILLIPEDES: *PACHYBOLIDAE* COOK, 1897. International Journal of Scientific Research, Technology & Innovation in Multidisciplinary Studies. 9th April 2023. Volume 4, pp. 80-89.
333. COOPER, MARK. MATING FREQUENCIES VARY WITH RAINY DAYS IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 9(8): 263-270. https://www.ijesird.com/wp-content/uploads/2023/10/Fab_3_23.pdf.
334. COOPER, MARK. ABUNDANCE VARIES WITH MINIMUM TEMPERATURE IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 9(8): 258-262. https://www.ijesird.com/wp-content/uploads/2023/10/Fab_2_23.pdf.
335. Cooper, Mark I. SEXUAL SIZE DIMORPHISM MAY BE RELATED TO SEX RATIOS IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 9(8): 252-257. https://www.ijesird.com/wp-content/uploads/2023/10/FAB_1_23.pdf.
336. Cooper M. CURVED SURFACE AREAS IN *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2023; 3(8): <https://www.doi-ds.org/doi/10.2023-92114597/UIJIR>.
337. Cooper M. SECOND POLAR MOMENTS OF INERTNESS WITH TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2023; 3(8): 11-32. <http://www.doi-ds.org/doi/10.2023-86516136/UIJIR>.
338. Cooper, Mark I. 2023. SECOND POLAR MOMENTS OF AREA IN MALE AND FEMALE *CENTROBOLUS* COOK, 1897. *Munis Entomol. Zool.*, 18(1): 643-646. http://www.munisentzool.org/Issue/abstract/second-polar-moments-of-area-in-male-and-female-centrobolus-cook-1897_13951.
339. Cooper, Mark I. 2023. QUASIPROBABLE SOLUTION OF RAINY DAY VARIATIONS FOR SET MATING FREQUENCIES AND MALE AND FEMALE LENGTHS IN *CENTROBOLUS* COOK, 1897. *Munis Entomol. Zool.*, 18(1): 620-624. http://www.munisentzool.org/Issue/abstract/quasiprobable-solution-of-rainy-day-variations-for-set-mating-frequencies-and-male-and-female-lengths-in-centrobolus-cook-1897_13947.
340. Cooper Mark I. 2023. IS MASS CORRELATED WITH LENGTH AMONG RED MILLIPEDES *CENTROBOLUS* COOK, 1897? *Munis Entomol. Zool.*, 18(1): 404-408. http://www.munisentzool.org/Issue/abstract/is-mass-correlated-with-length-among-red-millipedes-centrobolus-cook-1897_13922.
341. Cooper Mark I. 2023. THE HIGHEST DAILY HOURS OF SUNSHINE ARE RELATED TO LONGITUDE ACROSS THE DISTRIBUTION OF PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. *Munis Entomol. Zool.*, 18(1): 385-387. http://www.munisentzool.org/Issue/abstract/the-highest-daily-hours-of-sunshine-are-related-to-longitude-across-the-distribution-of-pill-millipedes-sphaerotherium-brandt-1833_13920.
342. Cooper Mark I. 2023. DOES SEXUAL SIZE DIMORPHISM VARY WITH THE FEWEST DAILY HOURS OF SUNSHINE IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897? *Munis Entomol. Zool.*, 18(1): 373-375. http://www.munisentzool.org/Issue/abstract/does-sexual-size-dimorphism-vary-with-the-fewest-daily-hours-of-sunshine-in-red-millipedes-centrobolus-cook-1897_13918.
343. Cooper Mark I. 2023. PRECIPITATION DURING THE DRIEST MONTH IS marginally RELATED TO LONGITUDE ACROSS THE DISTRIBUTION OF RED MILLIPEDES *CENTROBOLUS* COOK, 1897. *Munis Entomol. Zool.*, 18(1): 339-341. http://www.munisentzool.org/Issue/abstract/precipitation-during-the-driest-month-is-marginally-related-to-longitude-across-the-distribution-of-red-millipedes-centrobolus-cook-1897_13915.
344. COOPER, M. I. THE WETTEST MONTHS VARY WITH THE DISTANCE TO THE CLOSEST AIRPORT ACROSS THE DISTRIBUTION OF PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 10(12): 3297-3316. <https://www.ijesird.com/wp-content/uploads/2024/06/59.pdf>.
345. COOPER, M. I. THE DIFFERENCE BETWEEN THE DRIEST AND WETTEST MONTHS VARY WITH THE DISTANCE TO THE CLOSEST AIRPORT ACROSS THE DISTRIBUTION OF PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 10(12): 3277-3296.

- <https://www.ijesird.com/wp-content/uploads/2024/06/58.pdf>.
- 346.COOPER, M. I. SURFACE AREA IS RELATED TO WIDTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(12): 3256-3276. <https://www.ijesird.com/wp-content/uploads/2024/06/57.pdf>.
- 347.COOPER, M. I. SURFACE AREA IS RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(12): 3235-3255. <https://www.ijesird.com/wp-content/uploads/2024/06/56.pdf>.
- 348.COOPER, M. I. MOMENTS OF INERTIA ARE RELATED TO WIDTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(12): 3215-3234. <https://www.ijesird.com/wp-content/uploads/2024/06/55.pdf>.
- 349.COOPER, M. LENGTH IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 3102-3129. <https://www.ijesird.com/wp-content/uploads/2024/05/54.pdf>.
- 350.COOPER, M. I. FEMALE WIDTH IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 3073-3101. <https://www.ijesird.com/wp-content/uploads/2024/05/53.pdf>.
- 351.COOPER, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 3044-3072. <https://www.ijesird.com/wp-content/uploads/2024/05/52.pdf>.
- 352.COOPER, M. LENGTH IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 3015-3043. <https://www.ijesird.com/wp-content/uploads/2024/05/51.pdf>.
- 353.COOPER, M. WIDTH IS RELATED HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2989-3014. <https://www.ijesird.com/wp-content/uploads/2024/05/50.pdf>.
- 354.Cooper, M. CURVED SURFACE AREA IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2964-2988. <https://www.ijesird.com/wp-content/uploads/2024/05/49.pdf>.
- 355.Cooper, M. CURVED SURFACE AREA IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2939-2963. <https://www.ijesird.com/wp-content/uploads/2024/05/48.pdf>.
- 356.Cooper, M. CURVED SURFACE AREA IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2914-2938. <https://www.ijesird.com/wp-content/uploads/2024/05/47.pdf>.
- 357.Cooper, M. CURVED SURFACE AREA IS RELATED TO AVERAGE TEMPERATURE VARIATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2883-2908. <https://www.ijesird.com/wp-content/uploads/2024/05/46.pdf>.
- 358.Cooper, M. CURVED SURFACE AREA IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2857-2882. <https://www.ijesird.com/wp-content/uploads/2024/05/45.pdf>.
- 359.Cooper, M. CURVED SURFACE AREA IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2831-2856. <https://www.ijesird.com/wp-content/uploads/2024/05/44.pdf>.
- 360.COOPER, M. CURVED SURFACE AREA IS RELATED TO WIDTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2806-2830. <https://www.ijesird.com/wp-content/uploads/2024/05/43.pdf>.
- 361.COOPER, M. CURVED SURFACE AREA IS RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2780-2805. <https://www.ijesird.com/wp-content/uploads/2024/05/42.pdf>.
- 362.COOPER, M. CURVED SURFACE AREA IS RELATED TO SEX RATIO IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2755-2779. <https://www.ijesird.com/wp-content/uploads/2024/05/41.pdf>.
- 363.COOPER, MARK IAN. CURVED SURFACE AREA IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention

- res. dev. 2024; 10(10): 2523-2550.
<https://www.ijesird.com/wp-content/uploads/2024/05/40.pdf>.
364. COOPER, MARK. VOLUME IS CORRELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(10): 2496-2522.
<https://www.ijesird.com/wp-content/uploads/2024/05/39.pdf>.
365. COOPER, MARK. MASS IS CORRELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(10): 2470-2495.
<https://www.ijesird.com/wp-content/uploads/2024/05/38.pdf>.
366. COOPER, MARK IAN. MASS IS CORRELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(10): 2444-2469.
<https://www.ijesird.com/wp-content/uploads/2024/05/37.pdf>.
367. Cooper, Mark Ian. COPULATION DURATION IS MODELLED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(10): 2508-2534.
<https://www.ijesird.com/wp-content/uploads/2024/05/36.pdf>.
368. Cooper, M. IS MATING FREQUENCY RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2024; 10(10): 2478-2507.
<https://www.ijesird.com/wp-content/uploads/2024/05/35.pdf>.
369. Cooper, Mark Ian. IS MATING FREQUENCY RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2024; 10(10): 2451-2477.
<https://www.ijesird.com/wp-content/uploads/2024/05/34.pdf>.
370. Cooper, Mark Ian. IS MATING FREQUENCY RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2024; 10(10): 2423-2450.
<https://www.ijesird.com/wp-content/uploads/2024/05/33.pdf>.
371. Cooper, Mark Ian. IS MATING FREQUENCY RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2024; 10(10): 2392-2422.
<https://www.ijesird.com/wp-content/uploads/2024/05/32.pdf>.
372. Cooper, M. Ian. MOMENTS OF INERTIA ARE RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2358-2384.
https://www.ijesird.com/wp-content/uploads/2024/05/ch_31.pdf.
373. Cooper, M. Ian. IS MATING FREQUENCY RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2024; 10(9): 2333-2357.
https://www.ijesird.com/wp-content/uploads/2024/05/ch_30.pdf.
374. Cooper, M. Ian. TEMPERATURE IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2308-2332.
https://www.ijesird.com/wp-content/uploads/2024/05/ch_29.pdf.
375. Cooper, M. Ian. IS MATING FREQUENCY RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2024; 10(9): 2283-2307.
https://www.ijesird.com/wp-content/uploads/2024/05/ch_28.pdf.
376. Cooper, M. Ian. IS MATING FREQUENCY RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2024; 10(9): 2259-2282.
https://www.ijesird.com/wp-content/uploads/2024/05/ch_27.pdf.
377. Cooper, M. Ian. TEMPERATURE IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2235-2258.
https://www.ijesird.com/wp-content/uploads/2024/05/ch_26.pdf.
378. Cooper, M. Ian. PRECIPITATION IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2211-2234.
https://www.ijesird.com/wp-content/uploads/2024/05/ch_25.pdf.
379. Cooper, M. Ian. HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH ARE RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2187-2210.
https://www.ijesird.com/wp-content/uploads/2024/05/ch_24.pdf.
380. Cooper, M. Ian. HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH ARE RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2163-2186.
https://www.ijesird.com/wp-content/uploads/2024/05/ch_23.pdf.
381. Cooper, M. Ian. COPULATION DURATION IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED

- MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2138-2161. https://www.ijesird.com/wp-content/uploads/2024/05/ch_22.pdf.
382. Cooper, M. Ian. HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH ARE RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2114-2137. https://www.ijesird.com/wp-content/uploads/2024/05/ch_21.pdf.
383. Cooper, M. Ian. HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH ARE RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2090-2113. https://www.ijesird.com/wp-content/uploads/2024/05/ch_20.pdf.
384. Cooper, M. Ian. HOURS OF SUNSHINE THROUGHOUT THE YEAR ARE RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2066-2089. https://www.ijesird.com/wp-content/uploads/2024/05/ch_19.pdf.
385. COOPER, M. I. MOMENTS OF INERTIA ARE RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(12): 3195-3214. https://www.ijesird.com/wp-content/uploads/2024/06/june_4_24.pdf.
386. COOPER, M. I. WIDTH MODELS WITH MATING FREQUENCY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(12): 3175-3194. https://www.ijesird.com/wp-content/uploads/2024/06/june_3_24.pdf.
387. COOPER, M. I. FEMALE WIDTH IS RELATED TO LOWEST NUMBER OF HOURS OF SUNSHINE IN A DAY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(12): 3154-3174. https://www.ijesird.com/wp-content/uploads/2024/06/june_2_24.pdf.
388. Cooper, M. CLIMATIC CORRELATES IN PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 10(12): 3130-3153. https://www.ijesird.com/wp-content/uploads/2024/06/june_1_24.pdf.
389. COOPER, M. COPULATION DURATION IS RELATED TO CURVED SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2731-2754. https://www.ijesird.com/wp-content/uploads/2024/05/may_7_24.pdf.
390. COOPER, M. CURVED SURFACE AREA IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2706-2730. https://www.ijesird.com/wp-content/uploads/2024/05/may_6_24.pdf.
391. COOPER, M. CURVED SURFACE AREA IS RELATED TO MASS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2681-2705. https://www.ijesird.com/wp-content/uploads/2024/05/may_5_24.pdf.
392. COOPER, M. CURVED SURFACE AREA IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2655-2680. https://www.ijesird.com/wp-content/uploads/2024/05/may_4_24.pdf.
393. COOPER, M. CURVED SURFACE AREA IS RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2630-2654. https://www.ijesird.com/wp-content/uploads/2024/05/may_3_24.pdf.
394. COOPER, M. CURVED SURFACE AREA IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2605-2629. https://www.ijesird.com/wp-content/uploads/2024/05/may_2_24.pdf.
395. COOPER, M. CURVED SURFACE AREA IS RELATED TO LOWEST HOURS OF SUNSHINE IN A DAY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2580-2604. https://www.ijesird.com/wp-content/uploads/2024/05/may_1_24.pdf.
396. COOPER, M. CURVED SURFACE AREA IS RELATED TO HIGHEST HOURS OF SUNSHINE THROUGHOUT A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(10): 2556-2579. https://www.ijesird.com/wp-content/uploads/2024/05/apr_5_24.pdf.
397. COOPER, MARK IAN. MASS IS INVERSELY CORRELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(10): 2418-2443. https://www.ijesird.com/wp-content/uploads/2024/05/apr_3_24.pdf.
398. Cooper, M. MASS IS CORRELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(10): 2392-2417. https://www.ijesird.com/wp-content/uploads/2024/05/april_2_24.pdf.

399. Cooper, M. Ian. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2040-2065. https://www.ijesird.com/wp-content/uploads/2024/05/march_6_24.pdf.
400. Cooper, M. Ian. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2014-2039. https://www.ijesird.com/wp-content/uploads/2024/05/march_5_24.pdf.
401. Cooper, M. Ian. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 1988-2013. https://www.ijesird.com/wp-content/uploads/2024/05/march_4_24.pdf.
402. Cooper, M. Ian. LOWEST RELATIVE HUMIDITY IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 1962-1987. https://www.ijesird.com/wp-content/uploads/2024/05/march_3_24.pdf.
403. Cooper, M. Ian. COPULATION DURATION IS RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 1936-1961. https://www.ijesird.com/wp-content/uploads/2024/05/march_2_24.pdf.
404. Cooper, M. Ian. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 1912-1935. https://www.ijesird.com/wp-content/uploads/2024/05/march_1_24.pdf.
405. Cooper, M. AIR PRESSURE IS NOT RELATED TO SPECIES RICHNESS IN PILL MILLIPEDES SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1908-1911. https://www.ijesird.com/wp-content/uploads/2024/05/feb_15_24.pdf.
406. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1884-1907. https://www.ijesird.com/wp-content/uploads/2024/05/feb_14_24.pdf.
407. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MASS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1860-1883. https://www.ijesird.com/wp-content/uploads/2024/05/feb13_24.pdf.
408. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1836-1859. https://www.ijesird.com/wp-content/uploads/2024/05/feb12_24.pdf.
409. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1810-1835. https://www.ijesird.com/wp-content/uploads/2024/05/feb11_24.pdf.
410. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1784-1809. https://www.ijesird.com/wp-content/uploads/2024/05/feb10_24.pdf.
411. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO TOTAL HOURS OF SUNSHINE IN A YEAR IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1758-1783. https://www.ijesird.com/wp-content/uploads/2024/05/feb9_24.pdf.
412. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1734-1757. https://www.ijesird.com/wp-content/uploads/2024/05/feb8_24.pdf.
413. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1710-1733. https://www.ijesird.com/wp-content/uploads/2024/05/feb7_24.pdf.
414. Cooper, M. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1684-1709. https://www.ijesird.com/wp-content/uploads/2024/05/feb6_24.pdf.
415. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1660-1683. https://www.ijesird.com/wp-content/uploads/2024/05/feb5_24.pdf.

416. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1636-1659. https://www.ijesird.com/wp-content/uploads/2024/05/Feb4_24.pdf.
417. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1610-1635. https://www.ijesird.com/wp-content/uploads/2024/05/Feb3_24.pdf.
418. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1584-1608. https://www.ijesird.com/wp-content/uploads/2024/05/Feb2_24.pdf.
419. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1557-1582. https://www.ijesird.com/wp-content/uploads/2024/05/Feb1_24.pdf.
420. COOPER, MARK. ABUNDANCE IS RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 269-285. <https://www.ijesird.com/wp-content/uploads/2024/07/71.pdf>.
421. COOPER, MARK. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 251-268. <https://www.ijesird.com/wp-content/uploads/2024/07/70.pdf>.
422. COOPER, MARK. LOWEST RELATIVE HUMIDITY IS RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 233-250. <https://www.ijesird.com/wp-content/uploads/2024/07/69.pdf>.
423. COOPER, MARK. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 215-232. <https://www.ijesird.com/wp-content/uploads/2024/07/68.pdf>.
424. Cooper, M. I. FEMALE SURFACE AREA-TO-VOLUME RATIO IS RELATED TO MINIMUM TEMPERATURE IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 197-214. <https://www.ijesird.com/wp-content/uploads/2024/07/67.pdf>.
425. Cooper, M. I. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO TEMPERATURE IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 179-196. https://www.ijesird.com/wp-content/uploads/2024/07/66_1.pdf.
426. Cooper, M. I. SURFACE AREA TO VOLUME RATIO CORRELATES WITH THE LOWEST AVERAGE TEMPERATURE AND POTENTIALLY ALSO SPECIES RICHNESS IN PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(1): 106-125. <https://www.ijesird.com/wp-content/uploads/2024/07/65.pdf>.
427. Cooper, M. I. MALE SURFACE AREA TO VOLUME RATIO CORRELATES WITH FEMALE SURFACE AREA TO VOLUME RATIO AND POTENTIALLY ALSO SPECIES RICHNESS IN PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(1): 85-105. <https://www.ijesird.com/wp-content/uploads/2024/07/64.pdf>.
428. Cooper, M. I. MALE SURFACE AREA TO VOLUME RATIO CORRELATES WITH THE LOWEST AVERAGE TEMPERATURE AND POTENTIALLY ALSO SPECIES RICHNESS IN PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(1): 61-84. <https://www.ijesird.com/wp-content/uploads/2024/07/63.pdf>.
429. Cooper, M. I. MEAN ANNUAL TEMPERATURE VARIES WITH THE HIGHEST AVERAGE TEMPERATURE IN DETERMINING THE SIZE OF FEMALE PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(1): 41-60. <https://www.ijesird.com/wp-content/uploads/2024/07/62.pdf>.
430. Cooper, M. I. MEAN ANNUAL TEMPERATURE VARIES WITH THE LOWEST AVERAGE TEMPERATURE IN DETERMINING THE SIZE OF FEMALE PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(1): 21-40. <https://www.ijesird.com/wp-content/uploads/2024/07/61.pdf>.
431. Cooper, M. I. THE DRIEST MONTHS VARIES WITH THE DISTANCE TO THE CLOSEST AIRPORT ACROSS THE DISTRIBUTION OF PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(1): 1-20. <https://www.ijesird.com/wp-content/uploads/2024/07/60.pdf>.
432. Cooper, M. I. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 161-178. https://www.ijesird.com/wp-content/uploads/2024/07/july_4_24.pdf.

433. Cooper, M. I. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 143-160. https://www.ijesird.com/wp-content/uploads/2024/07/july_3_24.pdf.
434. Cooper, M. I. STERNITE PROMINENCE IS RELATED TO LOWEST RELATIVE HUMIDITY IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 126-142. https://www.ijesird.com/wp-content/uploads/2024/07/july_2_24.pdf.
435. Cooper, M. Ian. COPULATION DURATION IS MODELLED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 307-326. <https://www.ijesird.com/wp-content/uploads/2024/07/73.pdf>.
436. Cooper, M. Ian. COPULATION DURATION IS RELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 286-306. <https://www.ijesird.com/wp-content/uploads/2024/07/72.pdf>.
437. COOPER, MARK I. TEMPERATURE IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 371-391. <https://www.ijesird.com/wp-content/uploads/2024/08/76>.
438. COOPER, MARK I. PRECIPITATION IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 349-370. <https://www.ijesird.com/wp-content/uploads/2024/08/75>.
439. COOPER, MARK I. PRECIPITATION IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 327-348. <https://www.ijesird.com/wp-content/uploads/2024/08/74>.
440. COOPER, MARK. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 435-456. <https://www.ijesird.com/wp-content/uploads/2024/08/79.pdf>.
441. COOPER, M. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 414-434. <https://www.ijesird.com/wp-content/uploads/2024/08/78.pdf>.
442. COOPER, MARK. SPECIES RICHNESS IS NOT RELATED TO DISTANCE TO THE NEAREST AIRPORT IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 392-413. <https://www.ijesird.com/wp-content/uploads/2024/08/77.pdf>.
443. COOPER, MARK IAN. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO THE MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 572-594. https://www.ijesird.com/wp-content/uploads/2024/08/aug_6_2024.pdf.
444. COOPER, MARK IAN. STERNITE PROMINENCE IS RELATED TO ABUNDANCE IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 548-571. https://www.ijesird.com/wp-content/uploads/2024/08/aug_5_2024.pdf.
445. COOPER, MARK IAN. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 525-547. https://www.ijesird.com/wp-content/uploads/2024/08/aug_4_2024.pdf.
446. COOPER, MARK IAN. IS MATING FREQUENCY RELATED TO DISTANCE TO THE NEAREST AIRPORT IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2024; 11(2): 502-524. https://www.ijesird.com/wp-content/uploads/2024/08/aug_3_2024.pdf.
447. COOPER, MARK IAN. THE HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 479-501. https://www.ijesird.com/wp-content/uploads/2024/08/aug_2_2024.pdf.
448. COOPER, MARK IAN. IS MATING FREQUENCY RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2024; 11(2): 457-478. https://www.ijesird.com/wp-content/uploads/2024/08/aug_1_2024.pdf.
449. COOPER, MARK IAN. Male surface area to volume ratio tracks average temperature in pill millipedes *Sphaerotherium* Brandt, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(2): 641-663. <https://www.ijesird.com/wp-content/uploads/2024/08/82.pdf>.
450. COOPER, MARK IAN. Surface area-to-volume ratio correlates with the month with the lowest daily hours of sunshine in pill millipedes *Sphaerotherium* Brandt, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(2): 618-640. <https://www.ijesird.com/wp-content/uploads/2024/08/81.pdf>.
451. COOPER, MARK IAN. Surface area-to-volume ratio correlates with the month with the most daily hours of sunshine in pill millipedes *Sphaerotherium* Brandt, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(2): 595-617.

- <https://www.ijesird.com/wp-content/uploads/2024/08/80.pdf>.
- 452.COOPER, M. IAN. MINIMUM TEMPERATURE IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 664-686. <https://www.ijesird.com/wp-content/uploads/2024/08/83.pdf>.
- 453.COOPER, M. IAN. MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 IS RELATED TO HIGHEST OCEAN WATER TEMPERATURE. Int. j. eng. sci. invention res. dev. 2024; 11(3): 788-810. <https://www.ijesird.com/wp-content/uploads/2024/09/87.pdf>.
- 454.COOPER, M. IAN. MEAN OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 IS RELATED TO SIXTEEN FACTORS. Int. j. eng. sci. invention res. dev. 2024; 11(3): 755-787. <https://www.ijesird.com/wp-content/uploads/2024/09/86.pdf>.
- 455.COOPER, M. IAN. MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 IS RELATED TO SEVENTEEN FACTORS. Int. j. eng. sci. invention res. dev. 2024; 11(3): 720-754. <https://www.ijesird.com/wp-content/uploads/2024/09/85.pdf>.
- 456.Cooper, M. FIFTEEN FACTORS RELATED TO THE AVERAGE MONTHLY DURATION OF SUNLIGHT IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(3): 687-719. <https://www.ijesird.com/wp-content/uploads/2024/09/84.pdf>.
- 457.COOPER, M. IAN. HIGHEST OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 IS RELATED TO FOURTEEN FACTORS. Int. j. eng. sci. invention res. dev. 2024; 11(3): 814-846.
- 458.COOPER, M. IAN. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO SPINE LENGTH, SPINE NUMBER AND STERNITE PROMINENCE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(3): 920-946. https://www.ijesird.com/wp-content/uploads/2024/09/september_4_24.pdf.
- 459.COOPER, M. IAN. DURATION OF COPULATION IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 IS RELATED TO MONTH WITH THE LOWEST NUMBER OF RAINY DAYS. Int. j. eng. sci. invention res. dev. 2024; 11(3): 896-919. https://www.ijesird.com/wp-content/uploads/2024/09/september_3_24.pdf.
- 460.COOPER, M. IAN. COPULATION DURATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 IS RELATED TO DISTANCE TO THE NEAREST AIRPORT. Int. j. eng. sci. invention res. dev. 2024; 11(3): 872-895. https://www.ijesird.com/wp-content/uploads/2024/09/september_2_24.pdf.
- 461.COOPER, M. IAN. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(3): 847-871. https://www.ijesird.com/wp-content/uploads/2024/09/september_1_24.pdf.
- 462.COOPER, M. IAN. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES AND MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(3): 972-995. https://www.ijesird.com/wp-content/uploads/2024/09/september_6_24.pdf.
- 463.COOPER, M. IAN. PRESSURE (AIR) IS RELATED TO LATITUDE IN MILLIPEDES DALODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2024; 11(3): 947-971. https://www.ijesird.com/wp-content/uploads/2024/09/september_5_24.pdf.
- 464.COOPER, M. IAN. *CENTROBOLUS* COOK, 1897 LATITUDE IS RELATED TO LONGITUDE. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1048-1071. https://www.ijesird.com/wp-content/uploads/2024/10/paper_92.pdf.
- 465.Cooper, Mark I SPHAEROTHERIIDAE BRANDT, 1833 LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1022-1047. https://www.ijesird.com/wp-content/uploads/2024/10/paper_91.pdf.
- 466.COOPER, M. IAN. DALODESMIDAE COOK, 1896A LATITUDE IS RELATED TO LONGITUDE. Int. j. eng. sci. invention res. dev. 2024; 11(4): 996-1021. https://www.ijesird.com/wp-content/uploads/2024/10/paper_90.pdf.
- 467.COOPER, M. IAN. LONGITUDE IS RELATED TO LATITUDE AND AIR PRESSURE IN FOREST PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1124-1147. https://www.ijesird.com/wp-content/uploads/2024/10/october_3_24.pdf.
- 468.COOPER, M. IAN. LONGITUDE IS RELATED TO LATITUDE AND AIR PRESSURE IN FOREST PILL MILLIPEDES SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1100-1123. https://www.ijesird.com/wp-content/uploads/2024/10/october_2_24.pdf.
- 469.COOPER, M. IAN. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1072-1099.

- https://www.ijesird.com/wp-content/uploads/2024/10/october_1_24.pdf.
- 470.COOPER, M. IAN. LATITUDE IS RELATED TO SPECIES RICHNESS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897 CONFIRMED. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1224-1248. https://www.ijesird.com/wp-content/uploads/2024/10/oct_8_24.pdf.
- 471.COOPER, M. IAN. SPECIES RICHNESS IS RELATED TO LATITUDE, LONGITUDE AND AIR PRESSURE IN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1199-1223. https://www.ijesird.com/wp-content/uploads/2024/10/oct_7_24.pdf.
- 472.Cooper, Mark I DIFFERENCES BETWEEN LATITUDINAL DIVERSITY GRADIENTS IN (SOUTHERN AFRICAN) FOREST MILLIPEDES. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1172-1196. https://www.ijesird.com/wp-content/uploads/2024/10/oct_5_24.pdf.
- 473.Cooper, Mark I LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN PACHYBOLIDAE COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1148-1171. https://www.ijesird.com/wp-content/uploads/2024/10/oct_4_24.pdf.
- 474.COOPER, MARK. DALODESMIDAE COOK, 1896A LATITUDE IS RELATED TO SPECIES RICHNESS. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1376-1402. <https://www.ijesird.com/wp-content/uploads/2024/10/98.pdf>.
- 475.COOPER, MARK I. DALODESMIDAE COOK, 1896A LONGITUDE IS RELATED TO SPECIES RICHNESS. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1351-1375. <https://www.ijesird.com/wp-content/uploads/2024/10/97.pdf>.
- 476.COOPER, MARK I. PRESSURE (AIR) IS RELATED TO LATITUDINAL SPECIES RICHNESS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1326-1350. <https://www.ijesird.com/wp-content/uploads/2024/10/96.pdf>.
- 477.COOPER, MARK. LONGITUDE IS RELATED TO SPECIES RICHNESS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1301-1325. <https://www.ijesird.com/wp-content/uploads/2024/10/95.pdf>.
- 478.COOPER, MARK IAN. DALODESMIDAE COOK, 1896A LONGITUDINAL SPECIES RICHNESS IS RELATED TO AIR PRESSURE. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1274-1300. <https://www.ijesird.com/wp-content/uploads/2024/10/94.pdf>.
- 479.COOPER, MARK IAN. PRESSURE (AIR) IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1249-1273. <https://www.ijesird.com/wp-content/uploads/2024/10/93.pdf>.
- 480.COOPER, MARK IAN. PRESSURE (AIR) IS RELATED TO LATITUDINAL SPECIES RICHNESS IN FOREST PILL MILLIPEDES SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1838-1875. <https://www.ijesird.com/wp-content/uploads/2024/11/110.pdf>.
- 481.COOPER, MARK. PRESSURE (AIR) IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN FOREST PILL MILLIPEDES SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1800-1837. <https://www.ijesird.com/wp-content/uploads/2024/11/109.pdf>.
- 482.COOPER, MARK. PRESSURE (AIR) IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN FOREST PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1762-1799. <https://www.ijesird.com/wp-content/uploads/2024/11/108.pdf>.
- 483.COOPER, MARK I. PRESSURE (AIR) IS RELATED TO LATITUDINAL SPECIES RICHNESS IN FOREST PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1720-1761. <https://www.ijesird.com/wp-content/uploads/2024/11/107.pdf>.
- 484.COOPER, MARK I. LONGITUDE IS RELATED TO LATITUDE IN FOREST PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1682-1719. <https://www.ijesird.com/wp-content/uploads/2024/11/106.pdf>.
- 485.COOPER, MARK I. LONGITUDE IS RELATED TO LATITUDE IN FOREST PILL MILLIPEDES SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1644-1681. <https://www.ijesird.com/wp-content/uploads/2024/11/105.pdf>.
- 486.COOPER, MARK IAN. PRESSURE (AIR) IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN KEELED MILLIPEDES GNOMESKELUS ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1602-1643. <https://www.ijesird.com/wp-content/uploads/2024/11/104.pdf>.
- 487.COOPER, MARK I. LONGITUDE IS RELATED TO LATITUDE AND AIR PRESSURE IN SOUTHERN AFRICAN KEELED MILLIPEDES GNOMESKELUS ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1562-1601. <https://www.ijesird.com/wp-content/uploads/2024/11/103.pdf>.
- 488.COOPER, MARK. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN

- KEELED MILLIPEDES *GNOMESKELUS* ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1518-1561. <https://www.ijesird.com/wp-content/uploads/2024/11/102.pdf>.
489. Cooper, Mark I PRESSURE (AIR) IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN KEELED MILLIPEDES *GNOMESKELUS* ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1480-1517. <https://www.ijesird.com/wp-content/uploads/2024/11/101.pdf>.
490. LONGITUDE IS RELATED TO LATITUDE IN SOUTHERN AFRICAN KEELED MILLIPEDES *GNOMESKELUS* ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1441-1479. <https://www.ijesird.com/wp-content/uploads/2024/11/100.pdf>.
491. COOPER, MARK I. PRESSURE (AIR) IS RELATED TO LATITUDE IN SOUTHERN AFRICAN KEELED MILLIPEDES *GNOMESKELUS* ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1403-1440. <https://www.ijesird.com/wp-content/uploads/2024/11/99.pdf>.
492. COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO LOWEST DURATION OF SUNSHINE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
493. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO MALE LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
494. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO FEMALE LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
495. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO FEMALE WIDTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
496. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO MALE WIDTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
497. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
498. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO VOLUME IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
499. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
500. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
501. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
502. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
503. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
504. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO MALE SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
505. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO FEMALE SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
506. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO THE MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
507. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
508. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
509. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
510. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO HIGHEST DURATION OF SUNSHINE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
511. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO LOWEST DURATION OF SUNSHINE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
512. COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO A COMBINATION

- OF MALE AND FEMALE LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 513.COOPER, M. I. LONGITUDE IS RELATED TO LATITUDE IN FOREST PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. (IN PREP.).
- 514.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN JULOMORPHIDAE VERHOEFF, 1924. (IN PREP.).
- 515.COOPER, M. I. PRESSURE (AIR) IS RELATED TO LONGITUDE IN FOREST PILL MILLIPEDES SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- 516.COOPER, M. I. LONGITUDE IS RELATED TO LATITUDE IN FOREST PILL MILLIPEDES SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- 517.COOPER, M. I. PRESSURE (AIR) IS RELATED TO LONGITUDE IN FOREST PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. (IN PREP.).
- 518.COOPER, M. I. PRESSURE (AIR) IS RELATED TO LATITUDE IN JULOMORPHIDAE VERHOEFF, 1924. (IN PREP.).
- 519.COOPER, M. I. PRESSURE (AIR) IS RELATED TO LATITUDE IN FOREST PILL MILLIPEDES SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- 520.COOPER, M. I. SPECIES RICHNESS IS RELATED TO LONGITUDE AND AIR PRESSURE IN JULOMORPHIDAE VERHOEFF, 1924. (IN PREP.).
- 521.COOPER, M. I. PRESSURE (AIR) IS RELATED TO LONGITUDE IN JULOMORPHIDAE VERHOEFF, 1924. (IN PREP.).
- 522.COOPER, M. I. PRESSURE (AIR) IS RELATED TO LATITUDE IN FOREST PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. (IN PREP.).
- 523.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897 AND SOUTHERN AFRICAN PACHYBOLIDAE COOK, 1897. (IN PREP.).
- 524.COOPER, M. I. PRESSURE (AIR) IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN FOREST PILL MILLIPEDES SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- 525.COOPER, M. I. PRESSURE (AIR) IS RELATED TO LATITUDINAL SPECIES RICHNESS IN FOREST PILL MILLIPEDES SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- 526.COOPER, M. I. PRESSURE (AIR) IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN JULOMORPHIDAE VERHOEFF, 1924. (IN PREP.).
- 527.COOPER, M. I. PRESSURE (AIR) IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN FOREST PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. (IN PREP.).
- 528.COOPER, M. I. PRESSURE (AIR) IS RELATED TO LATITUDINAL SPECIES RICHNESS IN FOREST PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. (IN PREP.).
- 529.COOPER, M. I. AIR PRESSURE IS marginally RELATED TO TEMPERATURE IN SOUTHERN AFRICAN SPIROSTREPTIDAE POCOCK, 1894. (IN PREP.).
- 530.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN SPIROSTREPTIDAE POCOCK, 1894. (IN PREP.).
- 531.COOPER, M. I. LATITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN SPIROSTREPTIDAE POCOCK, 1894. (IN PREP.).
- 532.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SPIROSTREPTIDAE POCOCK, 1894. (IN PREP.).
- 533.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SPIROSTREPTIDAE POCOCK, 1894.
- 534.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS marginally RELATED TO AIR PRESSURE IN SOUTHERN AFRICAN SPIROSTREPTIDAE POCOCK, 1894. (IN PREP.).
- 535.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN SPIROSTREPTIDAE POCOCK, 1894. (IN PREP.).
- 536.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN HARPAGOPHORIDAE ATTEMS, 1909. (IN PREP.).
- 537.COOPER, M. I. AIR PRESSURE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN HARPAGOPHORIDAE ATTEMS, 1909. (IN PREP.).
- 538.COOPER, M. I. TEMPERATURE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN HARPAGOPHORIDAE ATTEMS, 1909. (IN PREP.).
- 539.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN HARPAGOPHORIDAE ATTEMS, 1909. (IN PREP.).
- 540.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN HARPAGOPHORIDAE ATTEMS, 1909. (IN PREP.).
- 541.COOPER, M. I. TEMPERATURE IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN HARPAGOPHORIDAE ATTEMS, 1909. (IN PREP.).
- 542.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN PARADOXOSOMATIDAE DADAY, 1889. (IN PREP.).
- 543.COOPER, M. I. AIR PRESSURE IS RELATED TO ALTITUDE IS SOUTHERN AFRICAN PARADOXOSOMATIDAE DADAY, 1889. (IN PREP.).
- 544.COOPER, M. I. AIR PRESSURE IS RELATED TO LATITUDE IS SOUTHERN AFRICAN PARADOXOSOMATIDAE DADAY, 1889. (IN PREP.).
- 545.COOPER, M. I. ALTITUDE IS RELATED TO LATITUDE IS SOUTHERN AFRICAN PARADOXOSOMATIDAE DADAY, 1889. (IN PREP.).
- 546.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IS SOUTHERN AFRICAN PARADOXOSOMATIDAE DADAY, 1889. (IN PREP.).

- 547.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN PARADOXOSOMATIDAE DADAY, 1889. (IN PREP.).
- 548.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN GOMPHODESMIDAE COOK, 1896A. (IN PREP.).
- 549.COOPER, M. I. ALTITUDE IS RELATED TO AIR PRESSURE IN GOMPHODESMIDAE COOK, 1896A. (IN PREP.).
- 550.COOPER, M. I. ALTITUDE IS RELATED TO TEMPERATURE IN GOMPHODESMIDAE COOK, 1896A. (IN PREP.).
- 551.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN GOMPHODESMIDAE COOK, 1896A. (IN PREP.).
- 552.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN GOMPHODESMIDAE COOK, 1896A. (IN PREP.).
- 553.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN GOMPHODESMIDAE COOK, 1896A. (IN PREP.).
- 554.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS RELATED TO AIR PRESSURE IN GOMPHODESMIDAE COOK, 1896A. (IN PREP.).
- 555.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS RELATED TO ALTITUDE IN GOMPHODESMIDAE COOK, 1896A. (IN PREP.).
- 556.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN VAALOGONPIDAE VERHOEFF, 1940A. (IN PREP.).
- 557.COOPER, M. I. AIR PRESSURE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN VAALOGONPIDAE VERHOEFF, 1940A. (IN PREP.).
- 558.COOPER, M. I. TEMPERATURE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN VAALOGONPIDAE VERHOEFF, 1940A. (IN PREP.).
- 559.COOPER, M. I. TEMPERATURE IS RELATED TO LATITUDE IN SOUTHERN AFRICAN VAALOGONPIDAE VERHOEFF, 1940A. (IN PREP.).
- 560.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN VAALOGONPIDAE VERHOEFF, 1940A. (IN PREP.).
- 561.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN VAALOGONPIDAE VERHOEFF, 1940A. (IN PREP.).
- 562.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN VAALOGONPIDAE VERHOEFF, 1940A. (IN PREP.).
- 563.COOPER, M. I. AIR PRESSURE IS RELATED TO ELEVATION IN SOUTHERN AFRICAN ODONTOPYGIDAE ATTEMS, 1909C. (IN PREP.).
- 564.COOPER, M. I. AIR PRESSURE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN ODONTOPYGIDAE ATTEMS, 1909C. (IN PREP.).
- 565.COOPER, M. I. ALTITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN ODONTOPYGIDAE ATTEMS, 1909C. (IN PREP.).
- 566.COOPER, M. I. LATITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN ODONTOPYGIDAE ATTEMS, 1909C. (IN PREP.).
- 567.COOPER, M. I. LATITUDE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN ODONTOPYGIDAE ATTEMS, 1909C. (IN PREP.).
- 568.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN ODONTOPYGIDAE ATTEMS, 1909C. (IN PREP.).
- 569.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN ODONTOPYGIDAE ATTEMS, 1909C. (IN PREP.).
- 570.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN ODONTOPYGIDAE ATTEMS, 1909C. (IN PREP.).
- 571.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. (IN PREP.).
- 572.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN SIPHONOPHORA NEWPORT, 1844 AND POLYZONIIDA GERVAIS, 1844. (IN PREP.).
- 573.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN POLYZONIIDA GERVAIS, 1844. (IN PREP.).
- 574.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN PENCILLATA LATREILLE, 1831. (IN PREP.).
- 575.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815. (IN PREP.).
- 576.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN MEROCHETA COOK, 1895. (IN PREP.).
- 577.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN JULIFORMIA ATTEMS, 1926. (IN PREP.).
- 578.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN HELMINTHOMORPHA POCOCK, 1887. (IN PREP.).
- 579.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN CHILOGNATHA LATREILLE, 1802/1803. (IN PREP.).
- 580.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN DIPLOPODA DE BLAINVILLE IN GERVAIS, 1844. (IN PREP.).
- 581.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN INTRODUCED SPECIES OF SOUTHERN AFRICAN DIPLOPODA. (IN PREP.).
- 582.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. (IN PREP.).

- 583.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYZONIIDA GERVAIS, 1844. (IN PREP.).
- 584.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815. (IN PREP.).
- 585.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN MEROCHETA COOK, 1895. (IN PREP.).
- 586.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN JULIFORMIA ATTEMS, 1926. (IN PREP.).
- 587.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN HELMINTHOMORPHA POCOCK, 1887. (IN PREP.).
- 588.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN CHILOGNATHA LATREILLE, 1802/1803. (IN PREP.).
- 589.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN DIPLOPODA DE BLAINVILLE IN GERVAIS, 1844. (IN PREP.).
- 590.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN INTRODUCED SPECIES OF SOUTHERN AFRICAN DIPLOPODA. (IN PREP.).
- 591.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. (IN PREP.).
- 592.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYZONIIDA GERVAIS, 1844. (IN PREP.).
- 593.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815. (IN PREP.).
- 594.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN MEROCHETA COOK, 1895. (IN PREP.).
- 595.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN JULIFORMIA ATTEMS, 1926. (IN PREP.).
- 596.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN HELMINTHOMORPHA POCOCK, 1887. (IN PREP.).
- 597.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN CHILOGNATHA LATREILLE, 1802/1803. (IN PREP.).
- 598.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN DIPLOPODA DE BLAINVILLE IN GERVAIS, 1844. (IN PREP.).
- 599.COOPER, M. I. LONGITUDE IS RELATED TO LONGITUDE IN INTRODUCED SPECIES OF SOUTHERN AFRICAN DIPLOPODA. (IN PREP.).
- 600.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. (IN PREP.).
- 601.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYZONIIDA GERVAIS, 1844. (IN PREP.).
- 602.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN PENCILLATA LATREILLE, 1831. (IN PREP.).
- 603.COOPER, M. I. LATITUDINAL SPECIES DISTRIBUTION IS RELATED TO LONGITUDINAL SPECIES DISTRIBUTION IN INTRODUCED SPECIES OF SOUTHERN AFRICAN DIPLOPODA. (IN PREP.).
- 604.COOPER, M. I. AIR PRESSURE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN POLYZONIIDA GERVAIS, 1844. (IN PREP.).
- 605.COOPER, M. I. AIR PRESSURE IS RELATED TO LATITUDE IN SOUTHERN AFRICAN POLYZONIIDA GERVAIS, 1844. (IN PREP.).
- 606.COOPER, M. I. ALTITUDE IS RELATED TO LATITUDE IN SOUTHERN AFRICAN POLYZONIIDA GERVAIS, 1844. (IN PREP.).
- 607.COOPER, M. I. AIR PRESSURE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN PENCILLATA LATREILLE, 1831. (IN PREP.).
- 608.COOPER, M. I. AIR PRESSURE IS RELATED TO ALTITUDE IN INTRODUCED SPECIES OF SOUTHERN AFRICAN DIPLOPODA. (IN PREP.).
- 609.COOPER, M. I. LATITUDE IS RELATED TO TEMPERATURE IN INTRODUCED SPECIES OF SOUTHERN AFRICAN DIPLOPODA. (IN PREP.).
- 610.COOPER, M. I. HYPOTHETICAL ALTITUDE IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 611.COOPER, M. I. PRECIPITATION (MAXIMUM) IS RELATED TO AIR PRESSURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 612.COOPER, M. I. POSSIBILITY MATING FREQUENCIES ARE RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 613.COOPER, M. I. HYPOTHETICAL AVERAGE TEMPERATURE VARIATION IS RELATED TO LENGTH AND SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 614.COOPER, M. I. DAILY HOURS OF SUNSHINE (HIGHEST NUMBER) IN A MONTH IS RELATED TO MEAN OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 615.COOPER, M. I. POSSIBLE MINIMUM TEMPERATURE ACROSS THE DISTRIBUTION OF CENTROBOLUS IN SOUTHERN AFRICA. (IN PREP.).

- 616.COOPER, M. I. HYPOTHETICAL MAXIMUM TEMPERATURE ACROSS THE DISTRIBUTION OF CENTROBOLUS IN SOUTHERN AFRICA. (IN PREP.).
- 617.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 618.COOPER, M. I. geontypic. (IN PREP.).
- 619.COOPER, M. I. DEFINED AVERAGE TEMPERATURE ACROSS THE DISTRIBUTION OF CENTROBOLUS IN SOUTHERN AFRICA. (IN PREP.).
- 620.COOPER, M. I. DAYS (MONTH WITH THE LOWEST NUMBER OF RAINY) IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 621.COOPER, M. I. DURATION OF SUNSHINE (AVERAGE MONTHLY) IS RELATED TO ABUNDANCE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 622.COOPER, M. I. DEFINED CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF KNYSNA, SOUTH AFRICA. (IN PREP.).
- 623.COOPER, M. I. HLUHLUWE (SOUTH AFRICA) CLIMATE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS. (IN PREP.).
- 624.COOPER, M. I. PORT SHEPSTONE (SOUTH AFRICA) CLIMATE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS. (IN PREP.).
- 625.COOPER, M. I. DEFINED CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF BOT RIVER, SOUTH AFRICA. (IN PREP.).
- 626.COOPER, M. I. HOEDSPRUIT (SOUTH AFRICA) CLIMATE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS. (IN PREP.).
- 627.COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF WINTERTON, SOUTH AFRICA. (IN PREP.).
- 628.COOPER, M. I. DEFINED CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF GQEBERHA, SOUTH AFRICA. (IN PREP.).
- 629.COOPER, M. I. HOURS (OF AVERAGE SUN) ACROSS THE DISTRIBUTION OF CENTROBOLUS IN SOUTHERN AFRICA. (IN PREP.).
- 630.COOPER, M. I. PORT ST JOHNS (SOUTH AFRICA) CLIMATE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS. (IN PREP.).
- 631.COOPER, M. I. DAYS RAINY ACROSS THE DISTRIBUTION OF CENTROBOLUS IN SOUTHERN AFRICA. (IN PREP.).
- 632.COOPER, M. I. HUMIDITY ACROSS THE DISTRIBUTION OF CENTROBOLUS IN SOUTHERN AFRICA. (IN PREP.).
- 633.COOPER, M. I. PRECIPITATION ACROSS THE DISTRIBUTION OF CENTROBOLUS IN SOUTHERN AFRICA. (IN PREP.).
- 634.COOPER, M. I. DURATION (LOWEST) OF SUNSHINE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 635.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 636.COOPER, M. I. POSSIBLE SIX FACTORS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 637.COOPER, M. I. DURATION (HIGHEST) OF SUNSHINE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 638.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 639.COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF MTUNZINI ON THE EAST COAST OF SOUTH AFRICA. (IN PREP.).
- 640.COOPER, M. I. DURATION (LOWEST) OF SUNSHINE IS RELATED TO MEAN OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 641.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO WIDTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 642.COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF LOCHIEL, SOUTH AFRICA. (IN PREP.).
- 643.COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO LOWEST DURATION OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 644.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO MEAN OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).

- 645.COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF UMHLANGA ROCKS, SOUTH AFRICA. (IN PREP.).
- 646.COOPER, M. I. HYPOTHETICAL MINIMUM TEMPERATURE IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 647.COOPER, M. I. DURATION (LOWEST) OF SUNSHINE IS RELATED TO LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 648.COOPER, M. I. PRECIPITATION RELATED TO TEN FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 649.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 650.COOPER, M. I. DURATION (LOWEST) OF SUNSHINE IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 651.COOPER, M. I. PRESSURE (AIR) IS RELATED TO SEVEN FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 652.COOPER, M. I. MODEL OF MANTLE IRIDOSOME DIAMETER (VARIATION), BODY MASS, TERRITORY SIZES AND FEMALE-BIASED SEX RATIOS IN CORACIFORMES. (IN PREP.).
- 653.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYXENIDAE LUCAS, 1840. (IN PREP.).
- 654.COOPER, M. I. AIR PRESSURE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN POLYXENIDAE LUCAS, 1840. (IN PREP.).
- 655.COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF VRYHEID, SOUTH AFRICA. (IN PREP.).
- 656.COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED MEAN OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 657.COOPER, M. I. DAILY HOURS OF SUNSHINE IN A DAY (LOWEST NUMBER) IS RELATED TO AT LEAST EIGHTEEN FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 658.COOPER, M. I. DIFFERENCES BETWEEN THE SEXES OF A PAIR OF SYMPATRIC FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897 IN CURVED SURFACE AREAS. (IN PREP.).
- 659.COOPER, M. I. HIGHEST NUMBER OF RAINY DAYS (IN A MONTH) IS RELATED TO PRESSURE (AIR) IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 660.COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 661.COOPER, M. I. DIFFERENCES IN VOLUMES BETWEEN THE SEXES OF A PAIR OF SYMPATRIC FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 662.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IN A DAY IS RELATED TO ABUNDANCE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 663.COOPER, M. I. PRECIPITATION (MAXIMUM) IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 664.COOPER, M. I. DURATION OF SUNSHINE (LOWEST) IS RELATED TO ABUNDANCE IN A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 665.COOPER, M. I. HYPOTHETICAL OCEAN WATER TEMPERATURES IS RELATED TO ABUNDANCE IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 666.COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 667.COOPER, M. I. DURATION OF SUNSHINE (AVERAGE MONTHLY) IS RELATED TO ABUNDANCE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 668.COOPER, M. I. HIGHEST RELATIVE HUMIDITY, HIGHEST OCEAN WATER TEMPERATURES, MOMENTS OF INERTIA AND STERNITE PROMINENCE IS RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 669.COOPER, M. I. PACHYBOLID LENGTH IS marginally RELATED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 670.COOPER, M. I. HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH ARE RELATED TO TWELVE FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 671.COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF GANS BAY, SOUTH AFRICA. (IN PREP.).
- 672.COOPER, M. I. DAYS (MONTH WITH THE LOWEST NUMBER OF RAINY) IS RELATED TO AT LEAST

- FOUR FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 673.COOPER, M. I. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO AT LEAST TEN FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 674.COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF RICHARDS BAY, SOUTH AFRICA. (IN PREP.).
- 675.COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO AT LEAST FOURTEEN FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 676.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO AT LEAST FIFTEEN FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 677.COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF GORONGOSA, MOZAMBIQUE. (IN PREP.).
- 678.COOPER, M. I. DURATION OF SUNSHINE (LOWEST) IS RELATED TO AT LEAST TEN FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 679.COOPER, M. I. HIGHEST, LOWEST AND MEAN OCEAN WATER TEMPERATURES IS RELATED TO VOLUME IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 680.COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF SCOTTBURGH, SOUTH AFRICA. (IN PREP.).
- 681.COOPER, M. I. DAYS (MONTH WITH THE HIGHEST NUMBER OF RAINY) IS RELATED TO FIVE FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 682.COOPER, M. I. HIGHEST OCEAN WATER TEMPERATURES ARE RELATED TO LATITUDE AND LONGITUDE NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 683.COOPER, M. I. PIETERMARITZBURG (SOUTH AFRICA) CLIMATE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS. (IN PREP.).
- 684.COOPER, M. I. DURBAN (SOUTH AFRICA) CLIMATE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS. (IN PREP.).
- 685.COOPER, M. I. HYPOTHETICAL AVERAGE TEMPERATURE VARIATION IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 686.COOPER, M. I. HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 687.COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO HIGHEST DURATION OF SUNSHINE IN A DAY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 688.COOPER, M. I. DIFFERENCES BETWEEN THE SEXES OF A PAIR OF SYMPATRIC FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897 IN SECOND POLAR MOMENTS OF INERTNESS. (IN PREP.).
- 689.COOPER, M. I. PRECIPTATION (MAXIMUM) IS MARGINALLY RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 690.COOPER, M. I. DIFFERENCES (RELATIVE) BETWEEN A PAIR OF SYMPATRIC FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897 IN SECOND POLAR MOMENTS OF INERTNESS. (IN PREP.).
- 691.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 692.COOPER, M. I. PRECIPTATION (MINIMUM) IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 693.COOPER, M. I. HIGHEST RELATIVE HUMIDITY IS RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 694.COOPER, M. I. PRECIPITATION IS RELATED TO DURATION OF SUNSHINE (LOWEST) IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 695.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 696.COOPER, M. I. DURATION (LOWEST) OF SUNSHINE IS RELATED TO VOLUME IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 697.COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO THE MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 698.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897

- 699.COOPER, M. I. DURATION (LOWEST) OF SUNSHINE IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 700.COOPER, M. I. PRESSURE (AIR) IS RELATED TO AVERAGE TEMPERATURE VARIATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 701.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 702.COOPER, M. I. DURATION OF SUNSHINE (LOWEST) IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 703.COOPER, M. I. PRESSURE (AIR) IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 704.COOPER, M. I. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO LOWEST DURATION OF SUNSHINE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 705.COOPER, M. I. DAILY HOURS OF SUNSHINE (LOWEST NUMBER) IS RELATED TO LOWEST DURATION OF SUNSHINE COOPER, M. I. IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 706.COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO AIR PRESSURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 707.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 708.COOPER, M. I. DAYS (MONTH WITH THE LOWEST NUMBER OF RAINY) IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 709.COOPER, M. I. PRESSURE (AIR) IS RELATED TO MASS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 710.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO LOWEST DURATION OF SUNSHINE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 711.COOPER, M. I. DAYS (MONTH WITH THE LOWEST NUMBER OF RAINY) IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 712.COOPER, M. I. PRESSURE (AIR) IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 713.COOPER, M. I. HIGHEST OCEAN WATER TEMPERATURES IS RELATED TO AIR PRESSURE NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 714.COOPER, M. I. DAILY HOURS OF SUNSHINE (LOWEST NUMBER) IN A DAY IS RELATED TO MEAN OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 715.COOPER, M. I. PRESSURE (AIR) IS marginally RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 716.COOPER, M. I. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 717.COOPER, M. I. DISTANCE TO THE NEAREST AIRPORT IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897 SHOWS A RELATIONSHIP WITH STERNITE PROMINENCE. (IN PREP.).
- 718.COOPER, M. I. PRECIPITATION IS RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 719.COOPER, M. I. HUMIDITY (LOWEST RELATIVE) IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 720.COOPER, M. I. DISTANCE TO THE NEAREST AIRPORT IS marginally CORRELATED WITH MASS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 721.COOPER, M. I. PRECIPITATION IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 722.COOPER, M. I. HIGHEST NUMBER OF RAINY DAYS (MONTH WITH THE) IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 723.COOPER, M. I. DEFINED MINIMUM TEMPERATURE IS RELATED TO TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 724.COOPER, M. I. PRECIPITATION IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 725.COOPER, M. I. HOURS OF SUNSHINE (TOTAL IN A MONTH) IS RELATED TO MAXIMUM

- TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 726.COOPER, M. I. DEFINED MINIMUM TEMPERATURE IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 727.COOPER, M. I. POSSIBLE EJACULATE VOLUME VARIES WITH SEX RATIO IN CENTROBOLUS COOK, 1897. (IN PREP.).
- 728.COOPER, M. I. HYPOTHETICAL FACTORS RELATED TO LOWEST DURATION OF SUNSHINE AND LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 729.COOPER, M. I. DEFINED EJACULATE VOLUME VARIES WITH MOMENTS OF INERTIA IN CENTROBOLUS COOK, 1897. (IN PREP.).
- 730.COOPER, M. I. PACHYBOLID COLEOPOD SPINE LENGTH AND NUMBER ARE RELATED TO MOMENTS OF INERTIA IN CENTROBOLUS COOK, 1897. (IN PREP.).
- 731.COOPER, M. I. HIGHEST RELATIVE HUMIDITY IS RELATED TO ABUNDANCE, MINIMUM AND MAXIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 732.COOPER, M. I. DEFINED MASS IS RELATED TO MOMENTS OF INERTIA IN CENTROBOLUS COOK, 1897. (IN PREP.).
- 733.COOPER, M. I. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO THE AVERAGE MONTHLY DURATION OF SUNLIGHT IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 734.COOPER, M. I. DAYS (MONTH WITH THE HIGHEST NUMBER OF RAINY) IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 735.COOPER, M. I. PRECIPITATION (MAXIMUM) IS marginally CORRELATED TO SEXUAL SIZE DIMORPHISM IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 736.COOPER, M. I. HYPOTHETICAL MAXIMUM OCEAN WATER TEMPERATURES IS RELATED TO ABUNDANCE IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 737.COOPER, M. I. DEFINED MASS IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 738.COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 739.COOPER, M. I. HYPOTHETICAL MINIMUM OCEAN WATER TEMPERATURES ARE RELATED TO MATING FREQUENCIES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 740.COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 741.COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO ABUNDANCE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 742.COOPER, M. I. HYPOTHETICAL MEAN OCEAN WATER TEMPERATURES IS RELATED TO VOLUME IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 743.COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS marginally RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 744.COOPER, M. I. DIFFERENCES BETWEEN ONE PAIR OF SYMPATRIC FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897 IN SECOND POLAR MOMENTS OF INERTNESS. (IN PREP.).
- 745.COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO CURVED SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 746.COOPER, M. I. PRECIPITATION (MAXIMUM) IS RELATED TO ABUNDANCE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 747.COOPER, M. I. HYPOTHETICAL MINIMUM TEMPERATURE IS RELATED TO MEAN OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 748.COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO MATING FREQUENCY IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 749.COOPER, M. I. PRECIPITATION (MAXIMUM) ARE RELATED TO MATING FREQUENCIES IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 750.COOPER, M. I. HYPOTHETICAL MAXIMUM TEMPERATURE IS RELATED TO MEAN OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 751.COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).

- 752.COOPER, M. I. PRECIPITATION (MINIMUM) ARE RELATED TO MATING FREQUENCIES IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 753.COOPER, M. I. HYPOTHETICAL MEAN OCEAN WATER TEMPERATURES IS RELATED TO SURFACE AREA IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 754.COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 755.COOPER, M. I. PRECIPITATION (MAXIMUM) IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 756.COOPER, M. I. HIGHEST NUMBER OF RAINY DAYS (BASED ON MONTHLY MAXIMA) IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 757.COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO VOLUME IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 758.COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 759.COOPER, M. I. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MEAN OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 760.COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 761.COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 762.COOPER, M. I. PRECIPITATION (MAXIMUM) IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 763.COOPER, M. I. HIGHEST NUMBER OF DAILY HOURS OF SUNSHINE IN A MONTH IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 764.COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 765.COOPER, M. I. PRECIPITATION (MAXIMUM) IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 766.COOPER, M. I. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 767.COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO CURVED SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 768.COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 769.HYPOTHETICAL MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 770.COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 771.COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO MASS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 772.COOPER, M. I. HYPOTHETICAL MEAN OCEAN WATER TEMPERATURE IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 773.COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 774.COOPER, M. I. PRECIPITATION (MAXIMUM) IS RELATED TO MASS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 775.COOPER, M. I. HYPOTHETICAL MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 776.COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 777.COOPER, M. I. HYPOTHETICAL MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO SURFACE AREA IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).

- 778.COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 779.COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 780.COOPER, M. I. HYPOTHETICAL MAXIMUM TEMPERATURE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 781.COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 782.COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 783.HYPOTHETICAL MINIMUM TEMPERATURE IS RELATED TO MINIMUM OCEAN WATER COOPER, M. I. TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 784.COOPER, M. I. DURATION (AVERAGE MONTHLY) OF SUNLIGHT IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 785.COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 786.COOPER, M. I. HYPOTHETICAL LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 787.COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 788.COOPER, M. I. POSSIBILITY ABUNDANCE IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 789.COOPER, M. I. HIGHEST RELATIVE HUMIDITY IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 790.COOPER, M. I. DEFINED ABUNDANCE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 791.COOPER, M. I. POSSIBILITY MATING FREQUENCIES ARE RELATED TO MAXIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 792.HYPOTHETICAL MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO LENGTH, WIDTH, COOPER, M. I. VOLUME AND PRECIPITATION IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 793.COOPER, M. I. DEFINED LENGTH IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 794.COOPER, M. I. DEFINED WIDTH IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 795.COOPER, M. I. Hypothetical coldest temperature is related to latitude in forest Red Millipedes Centrobolus Cook, 1897. (IN PREP.).
- 796.COOPER, M. I. PRECIPITATION (MINIMUM) IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897 RELATED TO EIGHT FACTORS. (IN PREP.).
- 797.COOPER, M. I. DURATION (LOWEST) OF SUNSHINE IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 798.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 799.COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO HIGHEST DURATION OF SUNSHINE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 800.COOPER, M. I. DURATION (LOWEST) OF SUNSHINE IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 801.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO VOLUME IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 802.COOPER, M. I. POSSIBLE EIGHT FACTORS RELATED TO AVERAGE TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).
- 803.COOPER, M. I. DURATION OF SUNSHINE IS RELATED TO CURVED SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (IN PREP.).

- 804.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. (IN PREP.).
- 805.COOPER, M. I. PRECIPITATION IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. (IN PREP.).
- 806.COOPER, M. I. POSSIBLE SEVEN FACTORS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. (IN PREP.).
- 807.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. (IN PREP.).
- 808.COOPER, M. I. DURATION (LOWEST) OF SUNSHINE IS RELATED TO WIDTH IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. (IN PREP.).
- 809.COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO MASS IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. (IN PREP.).
- 810.COOPER, M. I. DURATION (HIGHEST) OF SUNSHINE IS RELATED TO CURVED SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. (IN PREP.).
- 811.COOPER, M. I. HOUT BAY (SOUTH AFRICA) CLIMATE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS. (IN PREP.).
- 812.COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF CAPE TOWN, SOUTH AFRICA. (IN PREP.).
- 813.COOPER, M. I. DE HOOP (SOUTH AFRICA) CLIMATE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS. (IN PREP.).
- 814.COOPER, M. I. HYPOTHETICAL CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF KIRKWOOD, SOUTH AFRICA. (IN PREP.).
- 815.COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF KEI ROAD, SOUTH AFRICA. (IN PREP.).
- 816.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYXENIDAE LUCAS, 1840. (IN PREP.).
- 817.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYXENIDAE LUCAS, 1840. (IN PREP.).
- 818.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN POLYXENIDAE LUCAS, 1840. (IN PREP.).
- 819.COOPER, MARK IAN. PRESSURE (AIR) IS RELATED TO LONGITUDE IN FOREST PILL MILLIPEDES *SPHAEROTHERIIDAE BRANDT*, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2180-2217. <https://www.ijesird.com/wp-content/uploads/2024/11/119.pdf>.
- 820.COOPER, MARK I. PRESSURE (AIR) IS RELATED TO LONGITUDE IN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2142-2179. <https://www.ijesird.com/wp-content/uploads/2024/11/118.pdf>.
- 821.COOPER, MARK I. PRESSURE (AIR) IS RELATED TO LATITUDE IN FOREST PILL MILLIPEDES *SPHAEROTHERIUM BRANDT*, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2110-2147. <https://www.ijesird.com/wp-content/uploads/2024/11/117.pdf>.
- 822.COOPER, MARK IAN. PRESSURE (AIR) IS RELATED TO LONGITUDE IN FOREST PILL MILLIPEDES *SPHAEROTHERIUM BRANDT*, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2069-2109. <https://www.ijesird.com/wp-content/uploads/2024/11/116.pdf>.
- 823.COOPER, MARK. PRESSURE (AIR) IS marginally RELATED TO LONGITUDE IN SOUTHERN AFRICAN KEELED MILLIPEDES *GNOMESKELUS ATTEMS*, 1926. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2031-2068. <https://www.ijesird.com/wp-content/uploads/2024/11/115.pdf>.
- 824.COOPER, MARK. SPECIES RICHNESS IS RELATED TO LONGITUDE AND AIR PRESSURE IN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1993-2030. <https://www.ijesird.com/wp-content/uploads/2024/11/114.pdf>.
- 825.COOPER, MARK IAN. PRESSURE (AIR) IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1955-1992. <https://www.ijesird.com/wp-content/uploads/2024/11/113.pdf>.
- 826.COOPER, MARK. PRESSURE (AIR) IS RELATED TO LATITUDE IN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1917-1954. <https://www.ijesird.com/wp-content/uploads/2024/11/112.pdf>.
- 827.COOPER, MARK IAN. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO MALE LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1876-1916. <https://www.ijesird.com/wp-content/uploads/2024/11/111.pdf>.
- 828.Cooper, Mark I MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO A COMBINATION OF MALE AND FEMALE LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. Int. j. eng.

- sci. invention res. dev. 2024; 11(5): 2415-2455.
https://www.ijesird.com/wp-content/uploads/2024/11/nov_7_24.pdf.
- 829.COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO MALE WIDTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2377-2414. https://www.ijesird.com/wp-content/uploads/2024/11/nov_6_24.pdf.
- 830.COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO FEMALE WIDTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2339-2376. https://www.ijesird.com/wp-content/uploads/2024/11/nov_5_24.pdf.
- 831.COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2301-2338. https://www.ijesird.com/wp-content/uploads/2024/11/nov_4_24.pdf.
- 832.Cooper, Mark I LATITUDE IS RELATED TO LONGITUDE IN GOMPHODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2256-2294. https://www.ijesird.com/wp-content/uploads/2024/11/nov_2_24.pdf.
- 833.COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO FEMALE LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2218-2255. https://www.ijesird.com/wp-content/uploads/2024/11/november_1_24.pdf.
- 834.Cooper, Mark I LATITUDINAL SPECIES RICHNESS IS RELATED TO ALTITUDE IN GOMPHODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3132-3171.
- 835.Cooper, Mark I LATITUDINAL SPECIES RICHNESS IS RELATED TO AIR PRESSURE IN GOMPHODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3092-3131.
- 836.Cooper, Mark I LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN GOMPHODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3053-3091.
- 837.Cooper, Mark I LONGITUDINAL SPECIES RICHNESS IN GOMPHODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3013-3052.
- 838.Cooper, Mark I LATITUDINAL SPECIES RICHNESS IN GOMPHODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2973-3012.
- 839.Cooper, Mark I ALTITUDE IS RELATED TO TEMPERATURE IN GOMPHODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2933-2972.
- 840.Cooper, Mark I ALTITUDE IS RELATED TO AIR PRESSURE IN GOMPHODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2893-2932.
- 841.Cooper, Mark I MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO LOWEST DURATION OF SUNSHINE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2854-2892.
- 842.Cooper, Mark I MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO HIGHEST DURATION OF SUNSHINE IN FOREST REDMILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2815-2853.
- 843.Cooper, Mark I MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2772-2814.
- 844.Cooper, Mark I MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2733-2771.
- 845.Cooper, Mark I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO MAXIMUM TEMPERATURE IN FOREST REDMILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2691-2732.
- 846.Cooper, Mark I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO MINIMUM TEMPERATURE IN FOREST REDMILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2552-2690.
- 847.COOPER, M. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2611-2652.
- 848.COOPER, M. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2572-2610.
- 849.COOPER, M. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO VOLUME IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2533-2571.
- 850.COOPER, MARK IAN. PRESSURE (AIR) IS RELATED TO LONGITUDE IN FOREST PILL MILLIPEDES SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2180-2217.
- 851.COOPER, MARK I. PRESSURE (AIR) IS RELATED TO LONGITUDE IN JULOMORPHIDAE VERHOEFF,

1924. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2142-2179.
- 852.COOPER, MARK I. PRESSURE (AIR) IS RELATED TO LATITUDE IN FOREST PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2110-2147.
- 853.COOPER, MARK IAN. PRESSURE (AIR) IS RELATED TO LONGITUDE IN FOREST PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2069-2109.
- 854.COOPER, MARK. PRESSURE (AIR) IS marginally RELATED TO LONGITUDE IN SOUTHERN AFRICAN KEELED MILLIPEDES GNOMESKELUS ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2031-2068.
- 855.COOPER, MARK. SPECIES RICHNESS IS RELATED TO LONGITUDE AND AIR PRESSURE IN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1993-2030.
- 856.COOPER, MARK IAN. PRESSURE (AIR) IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1955-1992.
- 857.COOPER, MARK. PRESSURE (AIR) IS RELATED TO LATITUDE IN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1917-1954.
- 858.COOPER, MARK IAN. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO MALE LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1876-1916.
- 859.Cooper, Mark I MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO THE MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3296-3334.
- 860.Cooper, Mark I MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO FEMALE SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3253-3295.
- 861.Cooper, Mark I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO MALE SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3214-3252.
- 862.Cooper, Mark I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3172-3213.
- COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. (IN REVIEW).
- 862.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. (IN REVIEW).
- 863.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. (IN REVIEW).
- 864.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN DIPLOPODA DE BLAINVILLE IN GERVAIS, 1844. (IN REVIEW).
- 865.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN DIPLOPODA DE BLAINVILLE IN GERVAIS, 1844. (IN PRESS).
- 866.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN HARPAGOPHORIDAE ATTEMS, 1909. (IN PRESS).
- 867.COOPER, M. I. TEMPERATURE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN HARPAGOPHORIDAE ATTEMS, 1909. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3728-3767.
- 868.COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN CHILOGNATHA LATREILLE, 1802/1803. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3677-3726.
- 869.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN CHILOGNATHA LATREILLE, 1802/1803. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3632-3676.
- 870.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN HARPAGOPHORIDAE ATTEMS, 1909. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3592-3631.
- 871.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN DIPLOPODA DE BLAINVILLE IN GERVAIS, 1844. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3547-3591.
- 872.COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN HARPAGOPHORIDAE ATTEMS, 1909. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3507-3546.
- 873.COOPER, M. I. AIR PRESSURE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN HARPAGOPHORIDAE ATTEMS, 1909. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3463-3506.
- 874.COOPER, M. I. (VISIBLE) SURFACE AREAS ARE DIFFERENT BETWEEN A PAIR OF APOSEMATICALLY COLOURED RED MILLIPEDES CENTROBOLUS (DIPLOPODA: PACHYBOLIDAE). Int. j. eng. sci. invention res. dev. 2024; 11(6): 3424-3462.
- 875.COOPER, M. I. TEMPERATURE IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN HARPAGOPHORIDAE ATTEMS, 1909. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3384-3423.
- 876.COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN CHILOGNATHA LATREILLE, 1802/1803. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3335-3383.

877.R. F. Lawrence, "The Spiroboloidea (Diplopoda) of the eastern half of Southern Africa*," Annals of the Natal Museum, vol. 18, no. 3, pp. 607-646, 1967.	17.6934216
878.R. P. Mailula, "Taxonomic revision and Red List assessment of the red millipede genus Centrobolus (Spirobolida: Pachybolidae) of South Africa," The University of Kwazulu Natal, pp. 289, 2021.	35.9096314
879. Wilson, H. M. 2005b. Zosterogrammida, a new order of millipedes from the Middle Silurian of Scotland and the Upper Carboniferous of Euramerica. Palaeontology 48 (5): 1101-1110.	17.6934216
Longitude	28.512722
17.7045894	20.6249857
15.8477568	31.7772336
20.0261771	29.7377404
30.7330418	25.0058939
17.7168289	33.8758147
18.8648156	32.7730333
18.8648156	35.3237967
19.1533559	26.8827249
3.3439737	30.2685784
28.0437236	29.5741287
27.8644288	31.0213629
25.6975801	29.3427559
26.0584155	30.733396
30.5014994	25.3653781
32.5704908	30.0631766
32.2692818	24.3568566
16.8407793	30.37638
25.5351669	30.3638491
19.3421082	30.2064314
25.3132857	29.8043918
29.6429778	32.7312521
24.7105575	23.8252611
27.9928912	29.8805161
32.7305161	34.7865532
31.5521653	25.3653781
29.9965584	32.2692818
27.998825	29.7437263
32.412412	29.3202559
31.8926261	29.5074648
29.7377404	32.2657359
32.3697627	30.8081968
17.2305161	30.6788737
32.5594287	28.0665227
29.8897003	9.1921566
15.5834734	29.2952157
32.7169913	30.3316804
	25.6095713
	31.2352976
	30.1587891
	27.7099673
	29.5074648
	30.2685784

30.2685784	32.7397003
30.6788737	30.3876172
30.9085514	30.8762433
32.2692818	31.9493888
29.380283	30.8138494
18.326422	31.5824927
28.0331426	31.3063673
30.2685784	30.9672935
30.8552733	27.5558242
30.2685784	30.2685784
32.9093949	29.9965584
32.4036812	28.2696157
32.2692818	29.6897003
29.3202559	29.380283
30.719554	31.8987632
31.9765755	30.029388
29.5074648	30.8552733
28.3079497	30.6788737
30.8552733	28.613589
30.2685784	30.187961
31.3541272	26.5052415
31.9239303	31.5521653
29.5074648	32.7043099
24.6722384	16.9798252
27.5271555	32.2387125
31.2124781	17.4717988
32.9093949	17.1419763
27.4687755	17.5897003
30.9447884	30.4205777
26.9459046	17.4717988
30.3876172	19.1812367
30.3876172	18.357417
28.5127226	17.2625282
30.5691454	16.6536181
31.4151841	28.0437236
30.3876172	27.8644288
29.5074648	30.5133952
28.4977591	25.9114009
30.5133952	27.998825
34.7865532	30.5169777
29.5074648	32.2692818
30.37638	16.8407793
27.2522338	23.1603357
28.0331426	19.3421082
28.2696157	24.487237
16.6536181	29.495959

24.7105575	31.0074407
31.2563673	32.6278312
32.41667	32.41667
33.5867	26.0254775
31.016586	24.1200868
32.650351	31.8040572
32.33626	27.7099673
29.3650	14.4914288
31.05337	31.4614805
20.0559500	22.7532324
31.0292	24.6722384
25.5833	30.9744574
27.5571765	15.0380408
31.0292	25.8061389
30.8897003	34.0515658
28.497759	31.8829943
30.45499	36.8260048
26.3505336	31.2270238
31.2564648	18.8831845
27.7099673	18.326422
31.8610315	21.161354
25.2005475	18.7621855
24.6727	13.6145711
30.6417856	29.5391107
35.529562	16.1140463
29.5630402	31.2563673
27.7099673	46.9486523
32.5276499	16.1471557
30.420577	30.4234429
26.5119764	30.855273
14.5563797	29.3202559
30.9085514	31.1091447
35.0129983	30.2685784
27.2593708	23.001217
26.4368659	31.0213629
32.41667	18.9374781
29.5074648	29.5074648
25.2705608	19.4127714
35.529562	25.3653781
32.0744	40.7503079
21.0449928	35.0221825
31.8461716	40.4886039
32.1884393	32.6278312
27.0643443	16.6536181
18.4152632	33.5266048
19.2312634	29.9871861

30.1950894	40.0250
31.9100204	29.5203
30.1950894	25.6590
30.1950894	22.4499
29.495959	29.7637
31.1091447	30.5264
30.1950894	30.5130
30.8033831	30.8302
32.2692818	25.3788
31.5521653	26.5270
30.1950894	29.2307
30.3316804	26.5270
30.7238576	31.1333
30.1950894	31.1333
32.2692818	26.5270
30.9085514	25.5500
30.8552733	25.6590
30.2194742	28.6000
30.187961	31.4000
31.2563673	31.0161
30.0216447	29.4645
31.9493888	25.6590
30.8552733	29.4691
30.4175811	31.1333
29.7540261	31.2667
29.3202559	30.8302
30.3857151	26.4500
31.2124781	29.3955
30.423443	31.9965
29.9833	31.9015
31.0617	29.4645
28.5667	23.5567
29.4645	22.1536
29.7153	31.9965
27.5908	29.4244
27.4871	29.4645
25.1970	20.5803
29.5500	25.6590
29.7637	24.7707
28.9276	28.2590
25.6590	30.2805
20.3333	29.4645
30.0670	23.0485
22.1058	31.5900
29.5500	31.2181
30.2500	29.5453

40.0250	30.39278
30.7536	30.2306
30.0700	29.91334
31.1447	25.61494
31.3991	18.41667
28.4273	18.41667
32.7522	23.3716
31.4000	18.43585
31.0475	30.7856
29.9067	26.5328
23.7709	30.6500
23.7709	20.0000
29.4178	31.0894
29.3955	24.6727
31.65819	31.4000
32.26928	18.3500
29.50747	19.3500
32.26928	24.6727
30.16969	32.0377
30.85527	33.1725
29.68334	32.3167
27.13970	31.0292
19.10703	30.3928
18.40345	25.8333
28.92759	35.3833
19.1667	25.61494
18.41	23.8934
31.0117	20.0000
18.3604	18.34347
18.41	28.4319
19.15233	32.0377
18.35669	30.4550
23.8907	32.4167
19.4265	29.9947
19.4265	32.2833
29.3503	25.3961
21.25725	18.9833
18.45833	28.4319
28.8731	25.0630
28.92759	28.62377
28.80366	32.41667
23.8864	25.0630
24.16667	29.5448
30.39278	18.4212
30.28803	30.8667
29.33126	29.3235

32.9876
29.5448